Annual Index

Volume 20
1985

Authors

A

ACKMAN, R.G., A.K. Banerjee and W.M.N. Ratnayake, Effect of oxalic acid impregnation of chromarods on the separation of phospholipids for determination by the Iatroscan TLC/FID, 121

C.C. Parrish, Calibration of the Iatroscan-chromarod system for marine lipid class analyses, 521

See Sebedio, J.L.

ADLER, JOHN H., and Thomas A. Salt, Diversity of sterol composition in the family Chenopodiaceae, 594

AGRAWAL, VISHWANATH P. See Stumpf, Paul K.

AKINO, TOYOAKI, Kiyoharu Itoh, Akira Suzuki and Yoshio Kuroki, High performance liquid chromatographic separation of diacylglycerol acetates to quantitate disaturated species of lung phosphatidylcholine, 611

ALAM, BASSIMA S. See Alam, Syed Q.

ALAM, SYED Q., and Bassima S. Alam, Pulmonary lipid peroxides and fatty acids of rats fed different lipids and exposed to oxygen at hyperbaric pressure, 248

Bassima S. Alam and Arnold Banerji, Incorporation of *trans* fatty acids into submandibular salivary gland lipids, 16

ALATALO, PHILIP. See Berg, Carl J. Jr.

ALBANUS, LENNART. See Östlund-Lindqvist, Ann-Margret

ALESSANDRI, C. See Violi, F.

ALVAREZ, JUAN G. See Touchstone, Joseph C.

ANDERSEN, D.B., and B.J. Holub, Influence of dietary cholesterol on the relative synthesis of hepatic glycerides and molecular classes of 1,2-diglycerides and phospholipids in the gerbil in vivo, 167

ARTHUR, GILBERT. See Choy, Patrick C.

ASANO, I. See Terao, J.

ASO, SHINGO. See Takagi, Toru

AVIRAM, MICHAEL, Yael Sechter and J. Gerald Brook, Chylomicron-like particles in severe hypertriglyceridemia, 211

AYANOGLU, ESER. See Djerassi, Carl

B

BAILEY, JUDY. See Kinsey, William

BALSANO, F. See Violi, F.

BANERJEE, A.K. See Ackman, R.G.

BANERJI, ARNOLD. See Alam, Syed Q.

BARILARO, LINDA. See Hanin, Israel

BASÍLICO, MARÍA A. See Lombardo, Yolanda B.

BAUGHMAN, ROBERT P., Susan Strohofer and Michael Dohn, Decreased phosphatidylcholine in the lung fluid of patients with sarcoidosis, 496

BECKMAN, JEFFREY K., James C. Gay, Alan R. Brash, John N. Lukens and John A. Oates, Differential effects of lipoxygenase products on FMLP and LTB_4 evoked neutrophil aggregation, 357

James C. Gay, Alan R. Brash, John N. Lukens and John A. Oates, Stimulation by lipoxygenase products of superoxide anion production in FMLP-treated neutrophils, 318

BEITZ, DONALD C., Lynnette S. Walsh Hentges, Norman L. Jacobson, A. Dare McGilliard and Jeffrey J. Veenhuizen, Cholesterol transport and uptake in miniature swine fed vegetable and animal fats and proteins. I. Plasma lipoproteins and LDL clearance, 735

Lynnette S. Walsh Hentges, Norman L. Jacobson and A. Dare McGilliard, Cholesterol transport and uptake in miniature swine fed vegetable and animal fats and proteins. 2. LDL uptake and cholesterol distribution in tissues, 757

BELL, FRANK P., Inhibition of acyl CoA: Cholesterol acyltransferase and sterologenesis in rat liver by diazepam, in vitro, 75

BELL, J.G. See Cowey, C.B.

BEREZIAT, G. See Trugnan, G.

BERG, CARL J. JR., Judith Krzynowek, Philip Alatalo and Kate Wiggin, Sterol and fatty acid composition of the clam, *Codakia orbicularis*, with chemoautotrophic symbionts, 116

BERGE, ROLF K. See Thomassen, Magny S.

BERNAL, CLAUDIO. See Lombardo, Yolanda B.

BIGGLEY, W.H. See Seliger, H.H.

BIHARI-VARGA, MAGDOLNA. See Kostner, Gerhard M.

BITMAN, JOEL, Letter to the editor, 397

BLOMSTRAND, ROLF, Ulf Diczfalusy, Leslie Sisfontes and Lennart Svensson, Influence of dietary partially hydrogenated vegetable and marine oils on membrane composition and function of liver microsomes and platelets in the rat, 283

Annual Index

Volume 20
1985

Authors

A

ACKMAN, R.G., A.K. Banerjee and W.M.N. Ratnayake, Effect of oxalic acid impregnation of chromarods on the separation of phospholipids for determination by the Iatroscan TLC/FID, 121

C.C. Parrish, Calibration of the Iatroscan-chromarod system for marine lipid class analyses, 521

See Sebedio, J.L.

ADLER, JOHN H., and Thomas A. Salt, Diversity of sterol composition in the family Chenopodiaceae, 594

AGRAWAL, VISHWANATH P. See Stumpf, Paul K.

AKINO, TOYOAKI, Kiyoharu Itoh, Akira Suzuki and Yoshio Kuroki, High performance liquid chromatographic separation of diacylglycerol acetates to quantitate disaturated species of lung phosphatidylcholine, 611

ALAM, BASSIMA S. See Alam, Syed Q.

ALAM, SYED Q., and Bassima S. Alam, Pulmonary lipid peroxides and fatty acids of rats fed different lipids and exposed to oxygen at hyperbaric pressure, 248

Bassima S. Alam and Arnold Banerji, Incorporation of *trans* fatty acids into submandibular salivary gland lipids, 16

ALATALO, PHILIP. See Berg, Carl J. Jr.

ALBANUS, LENNART. See Östlund-Lindqvist, Ann-Margret

ALESSANDRI, C. See Violi, F.

ALVAREZ, JUAN G. See Touchstone, Joseph C.

ANDERSEN, D.B., and B.J. Holub, Influence of dietary cholesterol on the relative synthesis of hepatic glycerides and molecular classes of 1,2-diglycerides and phospholipids in the gerbil in vivo, 167

ARTHUR, GILBERT. See Choy, Patrick C.

ASANO, I. See Terao, J.

ASO, SHINGO. See Takagi, Toru

AVIRAM, MICHAEL, Yael Sechter and J. Gerald Brook, Chylomicron-like particles in severe hypertriglyceridemia, 211

AYANOGLU, ESER. See Djerassi, Carl

B

BAILEY, JUDY. See Kinsey, William

BALSANO, F. See Violi, F.

BANERJEE, A.K. See Ackman, R.G.

BANERJI, ARNOLD. See Alam, Syed Q.

BARILARO, LINDA. See Hanin, Israel

BASÍLICO, MARÍA A. See Lombardo, Yolanda B.

BAUGHMAN, ROBERT P., Susan Strohofer and Michael Dohn, Decreased phosphatidylcholine in the lung fluid of patients with sarcoidosis, 496

BECKMAN, JEFFREY K., James C. Gay, Alan R. Brash, John N. Lukens and John A. Oates, Differential effects of lipoxygenase products on FMLP and LTB_4 evoked neutrophil aggregation, 357

James C. Gay, Alan R. Brash, John N. Lukens and John A. Oates, Stimulation by lipoxygenase products of superoxide anion production in FMLP-treated neutrophils, 318

BEITZ, DONALD C., Lynnette S. Walsh Hentges, Norman L. Jacobson, A. Dare McGilliard and Jeffrey J. Veenhuizen, Cholesterol transport and uptake in miniature swine fed vegetable and animal fats and proteins. I. Plasma lipoproteins and LDL clearance, 735

Lynnette S. Walsh Hentges, Norman L. Jacobson and A. Dare McGilliard, Cholesterol transport and uptake in miniature swine fed vegetable and animal fats and proteins. 2. LDL uptake and cholesterol distribution in tissues, 757

BELL, FRANK P., Inhibition of acyl CoA: Cholesterol acyltransferase and sterologenesis in rat liver by diazepam, in vitro, 75

BELL, J.G. See Cowey, C.B.

BEREZIAT, G. See Trugnan, G.

BERG, CARL J. JR., Judith Krzynowek, Philip Alatalo and Kate Wiggin, Sterol and fatty acid composition of the clam, *Codakia orbicularis*, with chemoautotrophic symbionts, 116

BERGE, ROLF K. See Thomassen, Magny S.

BERNAL, CLAUDIO. See Lombardo, Yolanda B.

BIGGLEY, W.H. See Seliger, H.H.

BIHARI-VARGA, MAGDOLNA. See Kostner, Gerhard M.

BITMAN, JOEL, Letter to the editor, 397

BLOMSTRAND, ROLF, Ulf Diczfalusy, Leslie Sisfontes and Lennart Svensson, Influence of dietary partially hydrogenated vegetable and marine oils on membrane composition and function of liver microsomes and platelets in the rat, 283

BODY, DENIS R., Cecil B. Johnson and G. John Shaw, The monounsaturated acyl- and alkyl-moieties of wax esters and their distribution in commercial orange roughy *(Hoplostethus atlanticus)* oil, 680
BÖGER, PETER. See Hagve, Tor-Arne
BONE, Q. See Morris, Robert J.
BONNET, BERNARD. See Verma, Surendra P.
BRASH, ALAN R. See Beckman, Jeffrey K.
BRASITUS, THOMAS A., and Rajvir Dahiya, Glycosphingolipids of fetal and adult sheep colonic mucosa, 331
BRAUTIGAN, DAVID L., Paul Randazzo, Carol Shriner and John N. Fain, Phosphorylation of chloroform soluble compounds in plasma membranes of human epidermoid carcinoma A431 cells, 492
BRECKENRIDGE, W.C. See Myher, J.J.
BRISSETTE, JANICE L. See Pieringer, Ronald A.
BROOK, J. GERALD. See Aviram, Michael
BROOKS, VICKI. See Kokatnur, Mohan
BURGER, W.C. See Qureshi, A.A.
BURTON, GRAHAM W., Ann Webb and Keith U. Ingold, A mild, rapid and efficient method of lipid extraction for use in determining vitamin E/lipid ratios, 29

C

CALDER, A. GRAHAM. See Parkes, R. John
CARDOT, P. See Trugnan, G.
CARLSON, LARS A. See Holmquist, Leif
CARTER, WILLIAM J. See Dang, An Q.
CHABERT, CHRISTIANE. See Grataroli, Renee
CHAN, ALVIN C., Bill Fragiskos, Cheryl E. Douglas and Patrick C. Choy, Increased arachidonate incorporation in perfused heart phospholipids from Vitamin E-deficient rats, 328
CHANCE, GRAHAM W. See Clandinin, Michael T.
CHAP, H. See Douste-Blazy, L.
CHAPPELL, JANET E. See Clandinin, Michael T.
CHARBONNIER, MONIQUE. See Grataroli, Renee
CHEN, DIAN-ER, Arnold A. White, M.E. Tumbleson and Grace Y. Sun, Metabolism of lysophosphatidylcholine by swine platelets, 133
CHANG, FREDERIC C. See Iida, Takashi
CHICCO, ADRIANA. See Lombardo, Yolanda B.
CHITWOOD, DAVID J. See Lozano, Ruben
CHOY, PATRICK C., Gilbert Arthur, Thomas Mock and Cheryl Zaborniak, The distribution and acyl composition of plasmalogens in guinea pig heart, 693
See Chan, Alvin C.
CHRISTIANSEN, ERLING N., Tim J.B. Gray and Brian C. Lake, Effect of very long chain fatty acids on peroxisomal β-oxidation in primary rat hepatocyte cultures, 929
See Thomassen, M.S.
CHRISTIE, W.W., and R.C. Noble, The lipid composition of the spleen and intestinal and popliteal lymph nodes in the sheep, 389
CHRISTOPHERSEN, BJORN O. See Hagve, Tor-Arne
CLANDININ, MICHAEL T., Janet E. Chappell, Muriel A. McVey and Graham W. Chance, Free fatty acid content of human milk: Physiologic significance and artifactual determinants, 216
COHEN, BERTRAM I. See Mosbach, Erwin H.
COLEMAN, DAVID. See Cooper, Allen D.
COMBE, NICOLE A. See Wolff, Robert L.
COOPER, ALLEN D., and David Coleman, Chylomicron remnant and asialoglycoprotein metabolism are independent, 664
CORDOVA, C. See Violi, F.
CORNILY, GÉRARD. See Le Meste, Martine
CORNWELL, DAVID G., Nobuhiro Morisaki, L. David Tomei and George E. Milo, Role of prostanoids and lipid peroxides as mediators of the 12-O-tetradecanoylphorbol-13-acetate effect on cell growth, 602
See Lindsey, Jenifer A.
CORRAZE, GENEVIEVE. See Lacombe, Christiane
COWEY, C.B., J.G. Bell, D. Knox, A. Fraser and A. Youngson, Lipids and lipid antioxidant systems in developing eggs of salmon *(Salmo salar)*, 567
CRANWELL, P.A., N. Robinson and G. Eglinton, Esterified lipids of the freshwater dinoflagellate *Peridinium lomnickii*, 645
CREER, MICHAEL H., and Richard W. Gross, Separation of isomeric lysophospholipids by reverse phase HPLC, 922
CROON, LARS-BÖRJE. See Ostlund-Lindqvist, Ann-Margret
CROSET, MARTINE. See Lagarde, Michel
CROTTE, C. See Reynier, M.O.

D

DAHIYA, RAJVIR. See Brasitus, Thomas A.
DANG, AN Q., Fred H. Faas and William J. Carter, Influence of hypo- and hyperthyroidism on rat liver glycerophospholipid metabolism, 897
DAS, SALIL K., Arshad Q. Khan and Matthew O. Sikpi, Phospholipid composition of guinea pig lung lavage, 7
DECEDUE, CHARLES J., Johnna Roberts and Valentino J. Stella, A colorimetric assay of pancreatic lipase: Rapid detection of lipase and colipase separated by gel filtration, 42
DELANY, JAMES P. See Snook, Jean T.
DENNIS, EDWARD A., and Charlotte Read Kensil, Action of cobra venom phospholipase A_2 on large unilamellar vesicles and multibilayers, 80
DICZFALUSY, ULF. See Blomstrand, Rolf
DIMARCO, NANCY. See Sullivan, Mary Anne
DJERASSI, CARL, Eser Ayanoglu, Kara Kurtz and J.M. Kornprobst, New natural 2-acetoxy fatty acids using chemical ionization and electron impact mass spectrometry, 141
DOHN, MICHAEL. See Baughman, Robert P.
DOMINGO, N. See Martigne, M.
DOUGLAS, CHERYL E. See Chan, Alvin C.
DOUSTE-BLAZY, L., A. El Tamer, M. Record and H. Chap, Turnover of phosphocholine and phosphoethanolamine in ether-phospholipids of Krebs II ascite cells, 699
DUFFY, ANNE. See Sullivan, Mary Anne
DUPONT, JACQUELINE, Susan Ewens-Luby and Melvin M. Mathias, Cholesterol metabolism in

relation to aging and dietary fats in rats and humans, 825
See Mathias, Melvin M.
DWYER, DENNIS M., Momtaz K. Wassef and Thomas B. Fioretti, Lipid analyses of isolated surface membranes of *Leishmania donovani* promastigotes, 108

E

EGLINTON, G. See Cranwell, P.A.
ELSON, C. See Qureshi, A.A.
EL TAMER, A. See Douste-Blazy, L.
EMKEN, EDWARD A. See Rohwedder, William K.
ENTRESSANGLES, BERNARD. See Wolff, Robert L.
EWENS-LUBY, SUSAN. See Dupont, Jacqueline

F

FAAS, FRED H. See Dang, An Q.
FAIN, JOHN N. See Brautigan, David L.
FARNWORTH, E.R. See Kramer, J.K.G.
FARQUHARSON, T.E. See Sebedio, J.L.
FERRETTI, ALDO, Joseph T. Judd, Mary W. Marshall, Vincent P. Flanagan, John M. Roman and Edward J. Matusik Jr., Moderate changes in linoleate intake do not influence the systemic production of E prostaglandins, 268
FIORETTI, THOMAS B. See Dwyer, Dennis M.
FLANAGAN, VINCENT P. See Ferretti, Aldo
FOUCHARD, R.C. See Kramer, J.K.G.
FRAGISKOS, BILL. See Chan, Alvin C.
FRASER, A.J. See Cowey, C.B.
See Tocher, D.R.
FUJIMOTO, KENSHIRO, Kazuo Miyashita, Nobuko Hara and Takashi Kaneda, Dimers formed in oxygenated methyl linoleate hydroperoxides, 578
FUJINO, YASUHIKO, Masao Ohnishi and Seisuke Ito, Further studies on sphingolipids in wheat grain, 337
FUKUZAWA, KENJI, Katsuya Kishikawa, Akira Tokumura, Hiroaki Tsukatani and Masayuki Shibuya, Fluorescent pigments by covalent binding of lipid peroxidation by-products to protein and amino acids, 854

G

GALLI, C., E. Giani and I. Masi, Heated fat, vitamin E and vascular eicosanoids, 439
E. Tremoli, E. Giani, P. Maderna, G. Gianfranceschi and C.R. Sirtori, Oral polyunsaturated phosphatidylcholine reduces platelet lipid and cholesterol contents in healthy volunteers, 561
GAMBLE, J.C. See Tocher, D.R.
GARDNER, H.W. See Plattner, R.D.
GARG, VIPIN K. See Nes, William R.
GAY, JAMES C. See Beckman, Jeffrey, K.
GEGIOU, D., and K. Staphylakis, Free, esterified and glucosidic sterols in cocoa butter, 723
GEROLAMI, A. See Reynier, M.O.
GHISELLI, A. See Violi, F.
GHOSH, AMITABHA, Letter to the editor, 56
GIANFRANCESCHI, G. See Galli, C.
GIANI, E. See Galli, C.
GIBSON, DONALD D. See McCay, Paul B.
GOTO, JUNICHI. See Iida, Takashi
GRATAROLI, RENEE, Monique Charbonnier, Gilles Nalbone, Denis Lairon, Christiane Chabert, Jacques C. Hauton and Huguette Lafont, Hydrolysis of intralipid by pancreatic lipase and phospholipase A_2-gel filtration studies, 765
GRAY, TIM J.B. See Christiansen, Erling N.
GROSS, RICHARD W. See Creer, Michael H.
GRUBER, E. See Kostner, Gerhard M.
GUO, LUKE S.S. See Halks-Miller, Meredith
GUTMAN, RAUL. See Lombardo, Yolanda B.

H

HAGVE, TOR-ARNE, Bjorn O. Christophersen and Peter Böger, Norflurazon-an inhibitor of essential fatty acid desaturation in isolated liver cells, 719
HALKS-MILLER, MEREDITH, Luke S.S. Guo and Robert L. Hamilton Jr., Tocopherol-phospholipid liposomes: Maximum content and stability to serum proteins, 195
HALL, IRIS II., Jon J. Kabara and Timothy G. Matthews, Hypolipidemic activity of the surfactants aminimides, and their effects on lipid metabolism of rodents, 685
HAMILTON, ROBERT L. JR. See Halks-Miller, Meredith
HANIN, ISRAEL, S.L. Katyal and Linda Barilaro, Lipid composition of different areas of murine brain: Effects of lipid extraction procedures, 201
HARA, NOBUKO. See Fujimoto, Kenshiro
HAREL, STELLA. See Kanner, Joseph
HARTMAN, ARTHUR D., Adipocyte fatty acid mobilization in vivo: Effects of age and anatomical location, 255
HARVEY, H. RODGER, Mark W. Rigler and John S. Patton, The use of the Iatroscan TH-10 analyzer to quantify total lipids in a variety of sample types and lipid classes in human gallbladder bile, 542
HAUTON, JACQUES C. See Grataroli, Renee
See Martigne, M.
HAWRYLKO, JOSEPHINE. See McCay, Paul B.
HAYES, K.C. See Stephan, Zouhair F.
HAZEL, JEFFREY R., Determination of the phospholipid composition of trout gill by Iatroscan TLC/FID: Effect of thermal acclimation, 516
HERSLÖF, BENGT, and Gunilla Kindmark, HPLC of triglycerides with gradient elution and mass detection, 783
HILL, ELDON G. See Holman, Ralph T.
HOLMAN, RALPH T., Larry D. Lawson and Eldon G. Hill, Dietary fats containing concentrates of *cis* or *trans* octadecenoates and the patterns of polyunsaturated fatty acids of liver phosphatidylcholine and phosphatidylethanolamine, 262
A.J. Valicenti and F.J. Pusch, Synthesis of octadecynoic acids and [1-^{14}C] labeled isomers of octadecenoic acids, 234
HOLMQUIST, LEIF, and Lars A. Carlson, Subfractionation and characterization of native and incubation enlarged human plasma high density

lipoprotein particles by high performarce gel filtration, 378
HOLUB, B.J., and B.J. Weaver, The relative incorporation of arachidonic and eicosapentaenoic acids into human platelet phospholipids, 773
See Andersen, D.B.

I

IDE, TAKASHI, Kikuko Nishiyama and Michihiro Sugano, Activities of liver mixed function oxidase system in rats fed *trans* fat, 325
IIDA, TAKASHI, Yasuo Ohnuki, Frederic C. Chang, Junichi Goto and Toshio Nambara, High performance liquid chromatographic separation of stereoisomeric bile acids as their UV-sensitive esters, 187
IIO, TOSHIHIRO. See Tanaka, Mitsuo
INGOLD, KEITH U. See Burton, Graham W.
INNIS, WENDY S.A. See Merrill, Alfred H. Jr.
IRIKURA, T. See Okada, K.
ITABASHI, YUTAKA. See Takagi, Toru
ITO, SEISUKE. See Fujino, Yasuhiko
ITOH, KIYOHARU. See Akino, Toyoaki
ITOH, TOSHIHIRO, Masamichi Tanaka and Hiroshi Kaneko, Quantitative determination of lipids and their constituents by the chromarod TLC-FID system, 552
IULIANO, L. See Violi, F.

J

JACOBSON, NORMAN L. See Beitz, Donald C.
JACOTOT, B., M. Lasserre, F. Mendy and D. Spielmann, Effects of different dietary intake of essential fatty acids on C20:3ω6 and C20:4ω6 serum in human adults, 227
JANDACEK, RONALD J., and Fred H. Mattson, The effect of a non-absorbable fat on the turnover of plasma cholesterol in the rat, 273
JENSEN, ROBERT G., Letter to the editor, 56
JOHNSON, CECIL B. See Body, Denis R.
JOSEPH, D. See Seliger, H.H.
JUANEDA, PIERRE, and Gérard Rocquelin, Rapid and convenient separation of phospholipids and nonphosphorus lipids from rat heart using silica cartridges, 40
JUDD, JOSEPH T. See Ferretti, Aldo
JUNKER, LOUIS H. See Story, Jon A.

K

KABARA, JON J. See Hall, Iris H.
KAMEL, L. CHRISTOPHER. See Kinsey, William
KANAZAWA, KAZUKI, Eri Kanazawa and Masato Natake, Uptake of secondary autoxidation products of linoleic acid by the rat, 412
KANAZAWA, ERI. See Kanazawa, Kazuki
KANEDA, TAKASHI. See Fujimoto, Kenshiro
KANEKO, HIROSHI. See Itoh, Toshihiro
KANNER, JOSEPH, and Stella Harel, Lipid peroxidation and oxidation of several compounds by H_2O_2 activated metmyoglobin, 625
KASEKI, HISAYUKI. See Lindsey, Jenifer A.
KASUGAI, OSAMU. See Mino, Makoto
KATYAL, S.L. See Hanin, Israel
KELLEY, MICHAEL J. See Story, Jon A.
KENSIL, CHARLOTTE READ. See Dennis, Edward A.
KHAN, ARSHAD Q. See Das, Salil K.
KHOR, HUN-TEIK. See Oo, Khaik-Cheang
KHULLER, GOPAL K., and Saroj Larroya, Lipids of dermatophytes. II. Effect of growth condition on the lipid composition and membrane transport of *Microsporum gypseum*, 11
KIES, CONSTANCE, Non-soluble dietary fiber effects on lipid absorption and blood serum lipid patterns, 802
KIKUGAWA, KIYOMI, Takami Nakahara, Yasumichi Taniguchi and Masami Tanaka, Chromogenic determination of lipid hydroperoxides by sesamol dimer, 475
See Kosugi, Hiroko
KINDMARK, GUNILLA. See Herslöf, Bengt
KINSELLA, J.E., and B.R. Lokesh, Lipid composition and prostaglandin synthesis in mouse lung microsomes: Alterations following the ingestion of Menhaden oil, 842
KINSEY, WILLIAM, L. Christopher Kamel, Judy Bailey and Laura Schoenbaum, Phosphatidylinositol metabolism during fertilization in the sea urchin egg, 350
KISHIKAWA, KATSUYA. See Fukuzawa, Kenji
KLEIMAN, R., R.B. Wolf and R.D. Plattner, New long-chain hydroxy acids from *Grevillea decora*, 373
KNOX, D. See Cowey, C.B.
KOKATNUR, MOHAN, Vicki Brooks and Warren C. Plauche, Fatty acids of sphingomyelin from amniotic fluid of normal and diabetic pregnancies, 449
KOLATTUKUDY, P.E., Linda M. Rogers and Nicholas Nicolaides, Biosynthesis of lipids by bovine meibomian glands, 468
KORNPROBST, J.M. See Djerassi, Carl
KOSTNER, GERHARD M., Rudolf Zechner, Magdolna Bihari-Varga and E. Gruber, The interaction of human plasma low density lipoproteins with glycosamino-glycans: Influence of the chemical composition, 24
KOSUGI, HIROKO, and Kiyomi Kikugawa, Thiobarbituric acid reaction of aldehydes and oxidized lipids in glacial acetic acid, 915
KRAMER, J.K.G., E.R. Farnworth and B.K. Thompson, Cardiac lipid changes in rats fed oils enriched in saturates and their apparent relationship to focal heart lesions, 635
E.R. Farnworth and B.K. Thompson, Quantitating heart lipids: Comparison of results obtained using the Iatroscan method with those from phosphorus and gas chromatographic techniques, 536
R.C. Fouchard and E.R. Farnworth, The effect of fatty acid chain length and unsaturation on the chromatographic behavior of triglylcerides on Iatroscan chromarods, 617
KRZYNOWEK, JUDITH. See Berg, Carl J. Jr.
KUKSIS, A. See Myher, J.J.
KUROKI, YOSHIO. See Akino, Toyoaki
KURTZ, KARA. See Djerassi, Carl

L

LACOMBE, CHRISTIANE, Genevieve Corraze and Maryse Nibbelink, Effect of dietary restriction on the plasma apolipoprotein pattern in cholesterol-fed rabbits, 751
LAFONT, HUGUETTE. See Grataroli, Renee
See Martigne, M.
See Reynier, M.O.
LAGARDE, MICHEL, and Martine Croset, Enhancement of eicosaenoic acid lipoxygenation in human platelets by 12-hydroperoxy derivative of arachidonic acid, 743
LAIRON, DENIS. See Grataroli, Renee
LAKE, BRIAN C. See Christiansen, Erling N.
LARKIN, EDWARD C. See Rao, G. Ananda
LARROYA, SAROJ. See Khuller, Gopal K.
LASSERRE, M. See Jacotot, B.
LAWSON, LARRY D. See Holman, Ralph T.
LE MESTE, MARTINE, Gérard Cornily and Denise Simatos, Temperature-induced phase change in a fat. A study by electron spin resonance, 296
LEVIN, SIDNEY S. See Touchstone, Joseph C.
LIEPA, GEORGE. See Sullivan, Mary Anne
LINDSEY, JENIFER A., Hanfang Zhang, Hisayuki Kaseki, Nobuhiro Morisaki, Takasi Sato and David G. Cornwell, Fatty acid metabolism and cell proliferation. VII. Antioxidant effects of tocopherols and their quinones, 151
LITTLE, J.A. See Myher, J.J.
LOKESH, B.R. See Kinsella, J.E.
LOMBARDO, YOLANDA B., Adriana Chicco, María Z. Basílico, Claudio Bernal and Raul Gutman, Effect of brominated vegetable oils on heart lipid metabolism, 425
LOZANO, RUBEN, William R. Lusby, David J. Chitwood and James A. Svoboda, Dealkylation of various 24-alkylsterols by the nematode *Caenorhabditis elegans*, 102
William R. Lusby, David J. Chitwood, Malcolm J. Thompson and James A. Svoboda, Inhibition of C_{28} and C_{29} phytosterol metabolism by N, N-dimethyldodecanamine in the nematode *Caenorhabditis elegans*, 158
LUKENS, JOHN N. See Beckman, Jeffrey K.
LUSBY, WILLIAM R. See Lozano, Ruben

Mc

McCAY, PAUL B., Donald D. Gibson and Josephine Hawrylko, GSH-dependent inhibition of lipid peroxidation: Properties of a potent cytosolic system which protects cell membranes, 704
McGILLIARD, A. DARE. See Beitz, Donald C.
McGUIRE, V. See Myher, J.J.
McSHERRY, CHARLES K. See Mosbach, Erwin K.
McVEY, MURIEL A. See Clandinin, Michael T.

M

MADERNA, P. See Galli, C.
MARSHALL, MARY W. See Ferretti, Aldo
MARTIGNE, M., N. Domingo, H. Lafont, G. Nalbone and J.C. Hauton, Purification of the human anionic polypeptide fraction of the apo-bile lipoprotein complex by zonal ultracentrifugation, 884
MASI, I. See Galli, C.
MASUNO, HIROSHI, and Hiromichi Okuda, Decrease in alkaline triglyceride lipase in primary cultured hepatocytes from mice with sarcoma 180, 399
MATHIAS, MELVIN M., and Jacqueline Dupont, Quantitative relationships between dietary linoleate and prostaglandin (eicosanoid) biosynthesis, 791
See Dupont, Jacqueline
MATSUMOTO, MAKOTO, Yasuo Suzuki, Naoto Suzuki and Hiroyasu Michi, Characterization of gangliosides of porcine erythrocyte membranes: Occurrence of ganglioside G_{D3} as major ganglioside, 588
MATSUSHITA, S. See Terao, J.
MATTHEWS, TIMOTHY G. See Hall, Iris H.
MATTSON, FRED H. See Jandacek, Ronald J.
MATUSIK, EDWARD J. JR. See Ferretti, Aldo
MAY-DONATH, PATRICIA. See Mosbach, Erwin H.
MENDY, F. See Jacotot, B.
MERRILL, ALFRED H. JR., Elaine Wang, Wendy S.A. Innis and Richard Mullins, Increases in serum sphingomyelin by 17β-estradiol, 252
MICHI, HIROYASU. See Matsumoto, Makoto
MILLS, DAVID E., Maureen R. Summers and Ron P. Ward, Gamma linolenic acid attenuates cardiovascular responses to stress in borderline hypertensive rats, 573
MILO, GEORGE E. See Cornwell, David G.
MINO, MAKOTO, Osamu Kasugai and Tatsuo Shimizu, Red blood cell tocopherol and liver tocopherol in hyperlipemic rats as compared with plasma tocopherol, 488
MIYASHITA, KAZUO. See Fujimoto, Kenshiro
MOCK, THOMAS. See Choy, Patrick C.
MORISAKI, NOBUHIRO. See Cornwell, David G.
See Lindsey, Jenifer A.
MORRIS, ROBERT J., and Q. Bone, Highly saturated lipid composition of ctenophore cilia: Possible indication of low membrane permeability, 933
MOSBACH, ERWIN H., Mizuho Une, Bertram I. Cohen, Patricia May-Donath and Charles K. McSherry, Metabolism and cholestatic effect of 3α-hydroxy-7ξ-methyl-5β-cholanoic acid, 222
MOSCHETTO, YVES. See Verma, Surendra P.
MULLINS, RICHARD. See Merrill, Alfred H. Jr.
MYHER, J.J., A. Kuksis, W.C. Breckenridge, V. McGuire and J.A. Little, Comparative studies of triacylglycerol structure of very low density lipoproteins and chylomicrons of normolipemic subjects and patients with type II hyperlipoproteinemia, 90

N

NACHMAN, RONALD J., Unusual predominance of even-carbon hydrocarbons in an Antarctic food chain, 629
NAKAGAWA, YASUHITO, and Keizo Waku,

Determination of the amounts of free arachidonic acid in resident and activated rabbit alveolar macrophages by fluorometric high performance liquid chromatography, 482
NAKAHARA, TAKAMI. See Kikugawa, Kiyomi
NAKAMURA, TAKASHI, Red pigment-forming substances from autoxidized linolenate: Identification of prostaglandin-like substances, 180
NALBONE, GILLES. See Grataroli, Renee
See Martigne, M.
NAMBARA, TOSHIO. See Iida, Takashi
NATAKE, MASATO. See Kanazawa, Kazuki
NEEMAN, I. See Seliger, H.H.
NES, WILLIAM R., and V.K. Garg, Changes in Δ^5- and Δ^7-sterols during germination and seedling development of *Cucurbita maxima*, 876
NEWMAN, JOHN M., An overview of the Iatroscan, 501
NG, SOON, Analysis of positional distribution of fatty acids in palm oil by ^{13}C NMR spectroscopy, 778
NIBBELINK, MARYSE. See Lacombe, Christiane
NICOLAIDES, N., and Evelyn C. Santos, The di- and triesters of lipids of steer and human meibomian glands, 454
See Kolattukudy, P.E.
NISHIYAMA, KIKUKO. See Ide, Takashi
NOBLE, R.C., and J.H. Shand, Unsaturated fatty acid compositional changes and desaturation during the embryonic development of the chicken *(Gallus domesticus)*, 278
See Christie, W.W.
NORSETH, J. See Thomassen, M.S.
NOZAWA, YOSHINORI. See Umeki, Shigenobu

O

OATES, JOHN A. See Beckman, Jeffrey K.
OHNISHI, MASAO. See Fujino, Yasuhiko
OHNUKI, YASUO. See Iida, Takashi
OKADA, K., T. Irikura, K. Takagi and K. Yagasaki, Effect of KCD-232, a new hypolipidemic agent, on serum lipoprotein changes in hepatoma-bearing rats, 420
OKUDA, HIROMICHI. See Masuno, Hiroshi
ONG, AUGUSTINE S.H. See Oo, Khaik-Cheang
OO, KHAIK-CHEANG, Sau-Keen Teh, Hun-Teik Khor and Augustine S.H. Ong, Fatty acid synthesis in the oil palm *(Elaeis guineensis)*: Incorporation of acetate by tissue slices of the developing fruit, 205
ÖSTLUND-LINDQVIST, ANN-MARGRET, Lennart Albanus and Lars-Börje Croon, Effect of dietary *trans* fatty acids on microsomal enzymes and membranes, 620

P

PARKES, R. JOHN, James Taylor, Klaus W.J. Wahle and A. Graham Calder, The monoenoic fatty acid composition of a marine species of *Desulfobulbus* grown on lactate, 393
PARRISH, C.C. See Ackman, R.G.
PATTERSON, P.L., A specific detector for nitrogen and halogen compounds in TLC on coated quartz rods, 503
PATTON, JOHN S. See Harvey, H. Rodger
PETERSON, D.M. See Qureshi, A.A.
PHILLIPOT, JEAN R. See Verma, Surendra P.
PIATAK, DAVID M., and Pui-Fun Louisa Tang, Potential antineoplastic dihydroxy fatty acids, 903
PIERINGER, RONALD A., and Janice L. Brissette, The effect of penicillin on fatty acid synthesis and excretion in *Streptococcus mutans* BHT, 173
PLATTNER, R.D., and H.W. Gardner, Mass spectrometry of isomeric fatty acid hydroperoxides by chemical ionization via direct exposure probe, 126
See Kleiman, R.
PLAUCHE, WARREN C. See Kokatnur, Mohan
POWELL, PATRICIA. See Quist, Eugene
PUSCH, F.J. See Holman, R.T.

Q

QUIST, EUGENE, and Patricia Powell, Polyphosphoinositides and the shape of mammalian erythrocytes, 433
QURESHI, A.A., W.C. Burger, D.M. Peterson and C. Elson, Suppression of cholesterogenesis by plant constituents: Review of Wisconsin contributions to NC-167, 817

R

RANDAZZO, PAUL. See Brautigan, David L.
RAO, G. ANANDA, Diana E. Riley and Edward C. Larkin, Comparison of the thin layer chromatography/flame ionization detection system with other methods for the quantitative analysis of liver lipid contents in alcohol-fed rats and controls, 531
RATNAYAKE, W.M.N. See Ackman, R.G.
RAYSSIGUIER, Y. See Trugnan, G.
READ, H., Improved sample application methods for the Iatroscan, 510
RECORD, M. See Douste-Blazy, L.
REYNIER, M.O., H. Lafont, C. Crotte, P. Sauve and A. Gerolami, Intestinal cholesterol uptake: Comparison between mixed micelles containing lecithin or lysolecithin, 145
RIGLER, MARK W. See Harvey, H. Rodger
RILEY, DIANA E. See Rao, G. Ananda
ROBERTS, INGRAM M., Hydrolysis of 4-methylumbelliferyl butyrate: A convenient and sensitive fluorescent assay for lipase activity, 243
ROBERTS, JOHNNA. See Decedue, Charles J.
ROBINSON, N. See Cranwell, P.A.
ROCQUELIN, GERARD. See Juaneda, Pierre
ROGERS, LINDA M. See Kolattukudy, P.E.
ROHWEDDER, WILLIAM K., Edward A. Emken and Darhal J. Wolf, Analysis of deuterium labeled blood lipids by chemical ionization mass spectrometry, 303
ROMAN, JOHN M. See Ferretti, Aldo

S

SAINTE-MARIE, JOSETTE. See Verma, Surendra P.
SALT, THOMAS A. See Adler, John H.

SANTOS, EVELYN C. See Nicolaides, N.
SARGENT, J.R. See Tocher, D.R.
SATO, TAKASI. See Lindsey, Jenifer A.
SAUVE, P. See Reynier, M.O.
SCHOENBAUM, LAURA. See Kinsey, William
SEBEDIO, J.L., T.E. Farquharson and R.G. Ackman, Quantitative analyses of methyl esters of fatty acid geometrical isomers, and of triglycerides differing in unsaturation, by the Iatroscan TLC/FID technique using $AgNO_3$ impregnated rods, 555
SECHTER, YAEL. See Aviram, Michael
SELIGER, H.H., I. Neeman, D. Joseph and W.H. Biggley, Induced chemiluminescence of oxidized fatty acids and oils, 729
SELUCKY, M.L., Quantitative class separation of coal liquids using thin-layer chromatography with flame ionization detection, 546
SHAND, J.H. See Noble, R.C.
SHAW, G. JOHN. See Body, Denis R.
SHEEHAN, PATRICIA M. See Yeh, Yu-Yan
SHIBUYA, MASAYUKI. See Fukuzawa, Kenji
SHIMIZU, TATSUO. See Mino, Makoto
SHRINER, CAROL. See Brautigan, David L.
SIKPI, MATTHEW O. See Das, Salil K.
SIMATOS, DENISE. See Le Meste, Martine
SIRTORI, C.R. See Galli, C.
SISFONTES, LESLIE. See Blomstrand, Rolf
SNOOK, JEAN T., James P. DeLany and Virginia M. Vivian, Effect of moderate to very low fat defined formula diets on serum lipids in healthy subjects, 808
SPIELMANN, D. See Jacotot, B.
STAPHYLAKIS, K. See Gegiou, D.
STELLA, VALENTINO J. See Decedue, Charles J.
STEPHAN, ZOUHAIR F., and K.C. Hayes, Evidence for distinct precursor pools for biliary cholesterol and primary bile acids in cebus and cynomolgus monkeys, 343
STOREY, BAYARD T. See Touchstone, Joseph C.
STORY, JON A., and Louis H. Junker, An improved assay for cholesterol 7α-hydroxylase activity using phospholipid liposome solubilized substrate, 712
Michael J. Kelley, Effect of type of diet and feeding status on modulation of hepatic HMG-CoA reductase in rats, 53
STROHOFER, SUSAN. See Baughman, Robert P.
STUMPF, PAUL K., and Vishwanath P. Agrawal, Elongation systems involved in the biosynthesis of erucic acid from oleic acid in developing *Brassica juncea* seeds, 361
SUGANO, MICHIHIRO. See Ide, Takashi
SULLIVAN, MARY ANNE, Anne Duffy, Nancy Dimarco and George Liepa, Effects of various dietary animal and vegetable proteins on serum and biliary lipids and on gallstone formation in the hamster, 1
SUMMERS, MAUREEN R. See Mills, David E.
SUN, GRACE Y. See Chen, Dian-Er
SUZUKI, AKIRA. See Akino, Toyoaki
SUZUKI, NAOTO. See Matsumoto, Makoto
SUZUKI, YASUO. See Matsumoto, Makoto
SVENSSON, LENNART. See Blomstrand, Rolf
SVOBODA, JAMES A. See Lozano, Ruben

T

TABATA, TOSHIKAZU. See Tanaka, Mitsuo
TAKAGI, K. See Okada, K.
TAKAGI, TORU, Yutaka Itabashi and Shingo Aso, Fatty acids and fatty alcohols of wax esters in orange roughy: Specific textures of minor polyunsaturated and branched-chain components, 675
TANAKA, MASAMI. See Kikugawa, Kiyomi
TANAKA, MASAMICHI. See Itoh, Toshihiro
TANAKA, MITSUO, Ryooji Yonekura, Toshihiro Iio and Toshikazu Tabata, A diurnal variation of hepatic acid cholesteryl ester hydrolase activity in the rat, 46
TANG, PUI-FUN LOUISA. See Piatak, David M.
TANIGUCHI, YASUMICHI. See Kikugawa, Kiyomi
TAYLOR, JAMES. See Parkes, R. John
TEH, SAU-KEEN. See Oo, Khaik-Cheang
TERAO, J., I. Asano and S. Matsushita, Preparation of hydroperoxy and hydroxy derivatives of rat liver phosphatidylcholine and phosphatidylethanolamine, 312
THOMAS-BENHAMOU, G. See Trugnan, G.
THOMASSEN, MAGNY S., and Rolf K. Berge, Effects of high fat diets on the activity of palmitoyl-CoA hydrolase in rat liver, 49
J. Norseth and E.N. Christiansen, Long-term effects of high-fat diets on peroxisomal β-oxidation in male and female rats, 668
THOMPSON, B.K. See Kramer, J.K.G.
THOMPSON, MALCOLM J. See Lozano, Ruben
TOCHER, D.R., A.J. Fraser, J.R. Sargent and J.C. Gamble, Fatty acid composition of phospholipids and neutral lipids during embryonic and early larval development in Atlantic herring (*Clupea harengus*, L.), 69
A.J. Fraser, J.R. Sargent and J.C. Gamble, Lipid class composition during embryonic and early larval development in Atlantic herring (*Clupea harengus*, L.), 84
TOKUMURA, AKIRA. See Fukuzawa, Kenji
TOMEI, L. DAVID. See Cornwell, David G.
TOUCHSTONE, JOSEPH C., Juan G. Alvarez, Sidney S. Levin and Bayard T. Storey, Evidence for diplasmalogen as the major component of rabbit sperm phosphatidylethanolamine, 869
TREMOLI, E. See Galli, C.
TRUGNAN, G., G. Thomas-Benhamou, P. Cardot, Y. Rayssiguier and G. Bereziat, Short term essential fatty acid deficiency in rats. Influence of dietary carbohydrates, 862
TSUKATANI, HIROAKI. See Fukuzawa, Kenji
TULLOCH, A.P., Mass spectra of pyrrolidides of oxo, hydroxy and trimethylsilyloxy octadecanoic acids, 652
Mass spectra of TMS esters of deuterated decanoic acids and of TMS ethers of deuterated decanols, 404
TUMBLESON, M.E. See Chen, Dian-Er

U

UMEKI, SHIGENOBU, and Yoshinori Nozawa, Suppression by dexamethasone of isoproterenol-mediated changes in fatty acyl-CoA desaturase

activity of *Tetrahymena* microsomes, 850
UNE, MIZUHO. See Mosbach, Erwin H.

V

VALICENTI, A.J. See Holman, R.T.
VEENHUIZEN, JEFFREY J. See Beitz, Donald C.
VERMA, SURENDRA P., Jean R. Phillipot, Bernard Bonnet, Josette Sainte-Marie, Yves Moschetto and Donald F.H. Wallach, Raman studies of structural rearrangements induced in human plasma lipoprotein carotenoids by malondialdehyde, 890
VIOLI, F., A. Ghiselli, C. Alessandri, L. Iuliano, C. Cordova and F. Balsano, Relationship between platelet cyclooxygenase pathway and plasma malondialdehyde-like material, 322
VIVIAN, VIRGINIA M. See Snook, Jean T.

W

WAHLE, KLAUS W.J. See Parkes, R. John
WAKU, KEIZO. See Nakagawa, Yasuhito
WALLACH, DONALD F.H. See Verma, Surendra P.
WALSH HENTGES, LYNNETTE S. See Beitz, Donald C.
WANG, ELAINE. See Merrill, Alfred H. Jr.
WARD, RON P. See Mills, David E.
WASSEF, MOMTAZ K. See Dwyer, Dennis M.
WEAVER, B.J. See Holub, B.J.
WEBB, ANN. See Burton, Graham W.
WHITE, ARNOLD A. See Chen, Dian-Er
WIGGIN, KATE. See Berg, Carl J. Jr.
WOLF, DARHAL J. See Rohwedder, William K.
WOLF, R.B. See Kleiman, R.
WOLFF, ROBERT L., Nicole A. Combe and Bernard Entressangles, Modification of alkenyl chain profile in plasmalogens of rat heart mitochondria by dietary trielaidin, 367
Nicole A. Combe and Bernard Entressangles, Positional distribution of fatty acids in cardiolipin of mitochondria from 21-day-old rats, 908

Y

YAGASAKI, K. See Okada, K.
YEH, YU-YAN, and Patricia M. Sheehan, Pulmonary surfactant lipid synthesis from ketone bodies, lactate and glucose in newborn rats, 835
YONEKURA, RYOOJI. See Tanaka, Mitsuo
YOUNGSON, A. See Cowey, C.B.

Z

ZABORNIAK, CHERYL. See Choy, Patrick C.
ZECHNER, RUDOLF. See Kostner, Gerhard M.
ZHANG, HANFANG. See Lindsey, Jenifer A.

Subjects

A

[2-^{14}C]ACETATE, incorporation into lipids of *S. mutans* BHT, effect of penicillin, 173
ACETOACETATE, pulmonary surfactant lipid synthesis, newborn rat, 835
2-ACETOXY FATTY ACIDS, in phospholipids of sponge, 141
ACETYL CoA SYNTHETASE, liver, effects of aminimides, 685
ACYL CoA: CHOLESTEROL ACYLTRANSFERASE, assay, 75
inhibition by diazepam, rat liver minces, 75
ACYL COMPOSITION, phosphoglycerides, guinea pig, heart, 693
ACYLTRANSFERASE, lecithin-cholesterol, effect on LDL interaction with glycosamino-glycans, 24
swine platelets, characterization, effect of metal ions, propranolol, 133
ACYLTRANSFERASE, CHOLESTEROL, ACYL CoA, inhibition by diazepam, rat liver minces, 75
ACYL WAX ESTERS, in oil of orange roughy, GLC, TLC, 680
ADIPOCYTE METABOLIC DATA, rat, fatty acid mobilization, fractional loss vs pmole loss, 255
ADIPOCYTES, rat, epididymal, perirenal, subcutaneous, mesenteric, fatty acid mobilization in, 255
ADRENALECTOMY, effect on rat liver acid cholesteryl ester hydrolase activity, 46
ADRENAL GLAND, rat, effects of gamma linolenic acid, 573
AGGREGATION PLATELETS, effect of hypertriglyceridemic lipoproteins on, 211
AGING, RATS AND HUMAN, dietary fats, 825
relation to cholesterol metabolism, 825
AGLYCONES, of glycosides, effect upon lymphocytic leukemia, 903
synthesis, 903
ALBUMIN, bovine, egg, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
serum, effect on lysophosphatidylcholine metabolism, swine platelets, 133
ALDEHYDES, reaction with thiobarbituric acid, 915
ALKENYL ACIDS, synthesis of geometric and positional isomers, 234
ALKENYL CHAIN PROFILE, rat heart mitochondria, plasmalogens, dietary effect of trielaidin, 367
24-ALKYLSTEROLS, dealkylation by nematodes, 102
ALKYL WAX ESTERS, in oil of orange roughy, GLC, TLC, 680
ALKYNYL ACIDS, synthesis of positional isomers, 234
AMINIMIDES, effects on lipid metabolism in rodents, 685
hypolipidemic activity in rodents, 685
surfactant activity in rodents, 685
AMINO ACIDS, fluorescent products, lipid peroxidation products, 854
lipid autoxidation products capable of reacting with, 180
membrane transport, *Microsporum gypseum*, effect of growth conditions, 11
AMNIOTIC FLUID, human, normal and diabetic, sphingomyelin, fatty acid composition, 449
AMO 1618, effect on lipid metabolism, chicken, 817
ANGIOTENSIN, effect upon cardiovascular system of rat, 573
ANIMAL PROTEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
ANIONIC POLYPEPTIDE FRACTION, purification, 884
9-ANTHRYLMETHYL ESTERS, of stereoisomeric bile acids, separation by HPLC, 187
ANTINEOPLASTIC ACTIVITY, dihydroxy fatty acids, 903
ANTIOXIDANT, enzyme systems, salmon eggs, 567
tocopherols and their quinones, effect on fatty acid metabolism and cell growth, 151
ANTISERUM, anionic polypeptide fraction of apobile lipoprotein, 884
APO-BILE LIPOPROTEIN COMPLEX, human, purification, Ig A, 884
APOLIPOPROTEIN, plasma, effect of diet, rabbit, cholesterol-fed, 751
APOLIPOPROTEIN B-48, content in hypertriglyceridemic lipoproteins, diabetic and type V patient, 211
APOLIPOPROTEIN B-100, content in hypertriglyceridemic lipoproteins, diabetic and type V patient, 211
ARACHIDONIC ACID, antioxidant effect of tocopherols and their quinones, 151
content in human serum lipids, effect of dietary fat, 227
12-hydroperoxy derivative, lipoxygenation, 743
incorporation into mouse lung microsome, eicosanoid formation, 842
incorporation into phospholipids, platelets, human, 773
increased incorporation in perfused heart phospholipid from vitamin E deficient rats, 328
rabbit alveolar macrophages, determination of amounts by HPLC, 482
ASCITE CELLS, Krebs II, turnover in phosphocholine and phosphoethanolamine, 699
ASCORBIC ACID, salmon, developing eggs, 567
ASIALOGLYCOPROTEINS, hepatic metabolism, 664
ASPARTIC ACID, membrane transport, *Microsporum gypseum*, effect of growth conditions, 11
ASPIRIN, lipoxygenation of eicosaenoic acid, human platelet, 743
ASSAY, LIPASE, fluorescent, hydrolysis of 4-methylumbelliferyl butyrate, 243

ATLANTIC HERRING, egg, larva, yolk sac, lipid class composition, effect of fertilization, 84
fatty acid composition during embryonic and larval period, 69
ATP DEPENDENT CITRATE LYASE, liver, effects of aminimides, 685
AUTOXIDATION OF LIPIDS, detection with thiobarbituric acid, 915
AUTOXIDIZED LINOLENATE, identification of prostaglandin-like red pigment-forming substances, 180
AVENASTEROL, Chenopodiaceae, leaves, 594

B

BARLEY, effect on lipid metabolism, chicken, 817
BENZYLPENICILLIN, effect on fatty acid metabolism in *S. mutans* BHT, 173
BHT, *Streptococcus mutans*, fatty acid synthesis and excretion, effect of penicillin, 173
BILE, hamster, composition effect of dietary protein, 1
human gallbladder, lipid classes, quantification by Iatroscan, 542
BILE ACID COMPOSITION, bile fistula hamster, effect of lithocholic and methyl-lithocholic acid, 222
BILE ACIDS, cebus and cynomolgus monkeys, precursor pools, 343
hamster, effect of dietary protein, 1
HPLC separation of UV-sensitive stereoisomers of bile acids, 187
plasma lipoproteins, human, 825
BILE FISTULA HAMSTER, metabolism and cholestatic effect of 7-methyl-lithocholic acid, 222
BILE FLOW, bile fistula hamster, effect of lithocholic and methyl-lithocholic acid, 222
BILE SALT, LECITHIN MICELLES, containing 4-methylumbelliferyl butyrate, used in sensitive lipase assay, 243
BILE SALTS, hydrolysis of intralipid, 765
BIOSYNTHESIS, sterols, Cucurbita, changes during seedling germination, 876
BLOOD, prostaglandin biosynthesis, effect of dietary linoleate, 791
BOVINE ALBUMIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
BRAIN, mouse, lipid composition of different areas, effect of extraction procedure, 201
rat, lipid composition of different areas, effect of extraction procedures, 201
BRAN, rice, wheat, corn; effects on serum triglycerides and cholesterol, 802
Brassica juncea, seeds, biosynthesis of erucic acid, 361
BRASSICASTEROL, content of clam, *Codakia orbicularis*, 116
BRASSIDIC ACID, effect on peroxisomal β-oxidation, 929
BROMINATED VEGETABLE OILS, effect on rat heart lipid metabolism, 425
p-BROMOPHENACYL ESTERS, of stereoisomeric bile acids, separation by HPLC, 187
BUTTER, DIETARY, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
BUTYRATE, 4-METHYLUMBELLIFERYL, hydrolysis, lipase assay fluorescent, 243

C

Caenorhabditis elegans, dealkylation of various 24-alkylsterols, 102
phytosterol content, metabolism, effect of N,N-dimethyldodecanamine, 158
CALORIMETRY, differential scanning, use in study of temperature-induced phase changes in a fat, 296
CAMPESTEROL, content of clam, *Codakia orbicularis*, 116
dietary, nematode, effect on sterol composition, 102
effect on phytosterol, content, composition, metabolism in nematode, 158
CARBOHYDRATES, effect on rats, deficiency of essential fatty acids, 862
ganglioside composition, porcine erythrocyte membrane, 588
4(5)CARBOXYFLUORESCEIN, used to measure liposome disruption, 195
CARDIOLIPIN, content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
extraction and purification, 908
fatty acid profile and positional distribution, 908
CARDIOVASCULAR RESPONSE, rat, effects of stress, norepinephrine, angiotensin, 573
CARNITINE ACETYLTRANSFERASE, effect of very long chain fatty acids, 929
β-CAROTENE, existence in lipoprotein, Raman spectra, 890
oxidation by activated metmyoglobin, 625
CAROTENOIDS, structural rearrangements, effect of malondialdehyde Raman spectra, 890
CARTRIDGE, SILICA, rapid method for separation of neutral and phospholipid, 40
CASEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
CATALASE, activity in rat heart, effect of diet, 668
CELL GROWTH, human fibroblasts, guinea pig smooth muscle, effect of 12-O-TPA, 602
CELL PROLIFERATION, effect of tocopherols and their quinones on, 151
CELLS, SMOOTH MUSCLE, effect of tocopherols and their quinones on lipid oxidation and cell growth, 151
CENTRIFUGATION, zonal, purification of human apo-bile lipoprotein complex, 884
CEREAL GRAINS, effect on lipid metabolism, chicken, 817
CHEMICAL IONIZATION, of fatty acid hydroperoxides for mass spectra, direct exposure probes, 127
CHEMILUMINESCENCE, oxidized fatty acids, soybean oil, heat, 729
CHENOPODIACEAE, sterols in leaves, 594
CHICKEN, embryo, liver and yolk sac membrane, unsaturated fatty acid compositional changes and desaturation during development, 278
lipid metabolism, effect of diet, 817
CHICKEN LIVER, weight and enzyme levels response to estrogens, 252
CHOLANOIC ACID, hepatic tissue content, rat,

HPLC, 825
3α-HYDROXY-7ξ-METHYL-5β-, metabolism and cholestatic effect, 222
5β-CHOLANOIC ACIDS, mono-, di- and trihydroxylated, separation of stereoisomers by HPLC, 187
CHOLEST-7-ENOL, nematode, content of free and esterified, effect of diet, 102
CHOLEST-8(14)-ENOL, nematode, content of free and esterified, effect of diet, 102
CHOLESTA-5,7-DIENOL, nematode, content of free and esterified, effect of diet, 102
CHOLESTA-5,7,9(11)-TRIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
nematode, content of free and esterified, effect of diet, 102
CHOLESTA-5,7,9(11),22E,24-PENTAENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
CHOLESTA-5,7,9(11),24-TETRAENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
CHOLESTA-5,7,24-TRIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
CHOLESTA-5,22E,24-TRIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
CHOLESTANOL, nematode, content of free and esterified, effect of diet, 102
CHOLESTASIS, bile fistula hamster, effect of lithocholic and methyl-lithocholic acid, 222
CHOLESTEROGENESIS, chickens, effect of plant constituents, 817
CHOLESTEROL, Chenopodiaceae, leaves, 594
content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, low density lipoprotein, effect of LCAT, 24
content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
content of clam, *Codakia orbicularis*, 116
content of murine brain, effect of lipid extraction procedure, 201
content salivary gland, effect of diet, 16
effect on lysophosphatidylcholine metabolism, swine platelets, 133
effect on plasma apolipoprotein, rabbit, 751
human, effects of dietary fat, 808
human plasma, effects of oral phosphatidylcholine, 561
human serum, effects of dietary fiber, 802
mouse lung microsome, 842
nematode, content of free and esterified, effect of diet, 102
serum, rodents, effect of aminimides, 685
substrate for 7α-hydroxylase, incorporation into liposomes, 712
tissue content, swine, lipoprotein, 757
transport and distribution, swine, LDL uptake, dietary effects, 757
transport and uptake, swine, dietary effects, lipoproteins, 735
CHOLESTEROL, BILIARY, cebus and cynomolgus monkeys precursor pools, 343
hamster, effect of dietary protein, 1
CHOLESTEROL, DIETARY, influence on hepatic glyceride and phospholipid synthesis in gerbil, 167
CHOLESTEROL, LIVER, rat, effect of diet, 53
CHOLESTEROL, PLASMA, turnover, rat, effect of dietary non-absorbable fat on, 273
CHOLESTEROL, SERUM, chick, elevation in response to estrogens, 252
hamster, level, effect of dietary protein, 1
rat, effect of diet, 53
CHOLESTEROL ABSORPTION, rat jejunum, effect of lecithin and lysolecithin, 145
CHOLESTEROL ACYLTRANSFERASE, ACYL CoA, inhibition by diazepam, rat liver minces, 75
CHOLESTEROL ESTERIFICATION, inhibition by diazepam, rat liver microsomes and minces, 75
CHOLESTEROL 7α-HYDROXYLASE, assay of, 712
CHOLESTEROL METABOLISM, relation to aging, 825
CHOLESTEROL-PHOSPHOLIPID LIPOSOMES, preparation, 195
CHOLESTERYL ESTER, chick embryo, liver and yolk sac membrane, major fatty acid composition during development, 278
content, low density lipoprotein, effect of LCAT, 24
CHOLESTERYL ESTER HYDROLASE, LYSOSOMAL, hepatic, diurnal variation, diet dependent, 46
CHOLESTERYL ESTERS, effect on lysophosphatidylcholine metabolism, swine platelets, 133
CHOLESTERYL ESTERS, SERUM, human, fatty acid profile, effect of dietary fat, 227
CHROMARODS, chromatographic separation of triglycerides, 617
CHROMATOGRAPHY, triglycerides on Chromarods, 617
CHROMATOGRAPHY, COLUMN, fatty acids and fatty alcohols of fish oil, 680
gangliosides, 588
purification of red pigment-forming substances from autoxidized linoleate, 180
silica gel, separation of free and esterified sterols, nematode, 102
CHROMATOGRAPHY, DRY COLUMN, lipids, meibomian gland, 454
CHROMATOGRAPHY, GAS LIQUID, acetates of alkyl halides, alkynyl halides, alkynols, etc., 234
analysis of fatty acid methyl esters, 29
analysis of sphingolipid constituents in wheat grain, 337
esterified lipids, dinoflagellate, 645
FAME from lipid fractions of protozoan *Leishmania donovani*, 108
FAME of triacylglycerols from VLDL and chylomicrons, 90
fatty acid analysis, lung fluid phosphatidylcholine, 496
fatty acid methyl esters, cardiolipin, 908
fatty acid methyl esters, rat liver microsomes, 620
fatty acid methyl esters from salivary gland lipids, 16
fatty acid methyl esters from total lipid of clam, 116
fatty acid methyl esters of *Grevillea decora* seed oil, 373

fatty acid methyl esters, of human amniotic fluid sphingomyelin, 449
fatty acid methyl esters of rat adipocyte triglyceride fatty acids, 255
fatty acid methyl esters of rat liver phosphatidylcholine and phosphatidylethanolamine fatty acids, 262
fatty acids, cardiac lipids, 635
fatty acids, ctenophore cilia, 933
fatty acids, lysophospholipids, 922
fatty acids and fatty alcohols of fish oil, 680
fatty acids from diacylglycerols, 611
fatty acids of triacylglycerols and phospholipids, 668
intact triacylglycerols and diacylglycerol-t-BDMS ethers, 90
keto fatty acids, 854
lipids, di- and triesters in meibomian glands, 454
methyl esters of alkynoic and alkenoic acids, 234
of fatty acids, rat, 862
quantitation of rat heart lipids, 536
radio, lipids, methyl esters, bovine meibomian gland, 468
red pigment-forming substances from oxidized linoleate, TMS and DMH derivatives, 180
sterols, Chenopodiaceae, leaves, 594
sterols, cocoa butter, 723
sterols, Cucurbita seedlings, 876
sterols and sterol acetates from nematodes, 102
stigmasterol metabolites and 4-methylsterols from nematode, 158
TMS derivatives of hamster bile acids, effect of bile acid infusion, 222
trimethylsilylether derivatives of clam sterols, 116
use in determination of alkenyl moieties of plasmalogens, 367
CHROMATOGRAPHY, GAS LIQUID, CAPILLARY, analysis of deuterium-labeled blood lipids with chemical ionization mass spectrometry, 303
FAME from herring egg and larva lipids, 69
fatty acid methyl esters from human milk lipids, 216
fatty acid methyl esters from human serum lipids, 227
methyl esters of sponge 2-acetoxy fatty acids, 141
monoenoic fatty acid methyl esters of marine *Desulfobulbus*, 393
sterols and sterol acetates from nematodes, 102
CHROMATOGRAPHY, GAS LIQUID, MASS, diacylglycerol-t-BDMS ethers, molecular species, 90
hydroperoxide dimers, 578
methyl esters of sponge 2-acetoxy fatty acids, 141
pyrrolidines of octadecanoic acids, 652
red pigment-forming substances from autoxidized linoleate, 180
sterol acetates from nematode, 102
sterols, cocoa butter, 723
CHROMATOGRAPHY, GEL FILTRATION, analysis of intralipid hydrolysis, 765
pancreatic lipase, separation of lipase and colipase, 42
phosphatidylcholine-tocopherol liposomes, 195
red pigment-forming substances from autoxidized linoleate, 180
CHROMATOGRAPHY, GEL PERMEATION, decomposed hydroperoxides, 578
CHROMATOGRAPHY, HIGH PERFORMANCE, reverse phase, lysophospholipids, 922
CHROMATOGRAPHY, HIGH PERFORMANCE GEL FILTRATION, human plasma high density lipoproteins, 378
CHROMATOGRAPHY, HIGH PERFORMANCE LIQUID, bile acid, monkey, 343
cholanoic acid, 825
diacylglycerol acetates, 611
fatty acid methyl esters of *Grevillea decora* seed oil, 373
fluorometric, arachidonic acid in rabbit alveolar macrophages, 482
hydroperoxides, 578
phospholipids, sea urchin egg, 350
purification of red pigment-forming substances from autoxidized linoleate, 180
quantitation of phosphatidylcholine in lung, 611
sterioisometric bile acids, as UV-sensitive esters, 187
sterols, Cucurbita seedlings, 876
tocopherols, 488
triglycerides, MS, 783
CHROMATOGRAPHY, LIQUID, REVERSED PHASE, use in preparation of hydroperoxy and hydroxy derivatives of rat liver phosphatidylcholine and phosphatidylethanolamine, 312
CHROMATOGRAPHY, ON CHROMARODS, effect of oxalic acid on phospholipid migration, 121
separation of herring egg and larva lipid classes, 84
CHROMATOGRAPHY, REVERSE PHASE, HPLC, sterols, Chenopodiaceae, leaves, 594
CHROMATOGRAPHY, THIN LAYER, alkynoic acids, geometrical and positional isomers of octadecenoic acids and intermediates of synthesis, 234
analysis of lipoxygenase products, 743
argentation, monoenoic fatty acid methyl esters of marine *Desulfobulbus*, 393
bile lipids from hamster, effect of infused bile acids, 222
borate impregnated, separation of isomers of partial glycerides, 90
cardiac lipids, neutral lipids, phospholipids, 635
cardiolipin, 908
dimers of hydroperoxides, 578
esterified lipids, dinoflagellate, 645
fatty acid methyl esters of *Grevillea decora* seed oil, 373
fatty acid methyl esters, oil palm, endoderm and mesocarp, 205
fatty acids, alcohol acetates, 675
fatty acids and fatty alcohols of fish oil, 680
gangliosides, 588
gangliosides, adult and fetal sheep colonic mucosa, 331
glycerophospholipids, 699, 897
Iatroscan, $AgNO_3$ impregnated rods, fatty acid methyl esters, triglycerides, 555
Iatroscan, alcohol-fed rats, liver lipid contents, comparisons with other methods, 531
Iatroscan, coal liquids, quantitative class separation, 546
Iatroscan, lipids, quantitative determination, 552

Iatroscan, marine lipid class analyses, system calibration, 521
Iatroscan, nitrogen and halogen specific detector, 503
Iatroscan, phospholipid determination of trout gill, 516
Iatroscan, quantification of lipid classes in human gallbladder bile and total lipids in other samples, 542
Iatroscan, quantitation of rat heart lipids, comparison with phosphorus and gas chromatographic techniques, 536
Iatroscan, sample application, improved methods, 510
isolation of neutral lipids from human milk, 216
isolation of sphingolipids in wheat grains, 337
lipids, bovine meibomian gland, 468
lipids, di- and triesters in meibomian glands, 454
lipids, lung and bronchoalveolar lavage fluid, 496
methyl esters of acetoxy fatty acids, 141
murine brain lipids, 201
phosphoglycerides, guinea pig, heart, 693
phospholipids, rabbit sperm, 869
phospholipids, rat liver microsomes, 620
phospholipids of rat heart mitochondria, 367
polyphosphoinositides, sea urchin egg, 350
purification of red pigment-forming substances from autoxidized linoleate, 180
separation of neutral and polar lipids, 69
silica gel, autoradiography, phosphorylated chloroform-soluble compounds from human epidermoid carcinoma A431 cells, 492
sterol fractions from nematode, 102
sterols, Chenopodiaceae, leaves, 594
sterols, cocoa butter, 723
sterols, Cucurbita seedlings, 876
use in isolation of rat liver phosphatidylcholine and phosphatidylethanolamine, 262
UV-sensitive esters of stereoisomeric bile acids, 187
CHROMATOGRAPHY, THIN LAYER, ARGENTATION, separation of *cis* and *trans* methyl esters, 16
separation of fatty acid methyl esters from clam lipids, 116
CHROMATOGRAPHY, THIN LAYER, FID, Iatroscan, an overview, 501
CHYLOMICRON-LIKE PARTICLES, diabetic and type V subjects, characterization, and effect on platelet aggregation, 211
CHYLOMICRON REMNANTS, hepatic metabolism, 664
CHYLOMICRONS, diabetic and type V subjects, characterization, and effect on platelet aggregation, 211
normal and type II hyperlipoproteinemic, triacylglycerol structure, 90
CILIA, ctenophore, lipid composition, 933
CLAM, sterol and fatty acid composition, 116
COAL, liquids, quantitative class separation by Iatroscan, 546
COBRA VENUM, phospholipase A_2, hydrolysis of phosphatidylcholine, effect of vesicle size, 80
COCOA BUTTER, sterols, glucosides, free, esterified, 723
COCONUT OIL, mouse, effect on lipid composition, prostaglandin synthesis, 842
COCONUT OIL, HYDROGENATED DIETARY, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
COD, Antarctic, food chain, lipids, hydrocarbons, 629
Codakia orbicularis, sterol and fatty acid composition, 116
COLIPASE, pancreatic, isolation and assay, 42
COLOSTRUM, HUMAN, free fatty acid content, significance and artifactual determinants, 216
CORN OIL, dietary, incorporation in salivary gland lipids, 16
dietary, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
COTTONSEED PROTEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
CTENOPHORE, cilia, lipid composition, 933
Cucurbita maxima, seed germination, 876
CYCLIC AMP, *Tetrahymena* microsomes, effect of dexamethasone and isoproterenol, 850
CYCLOOXYGENASE, human platelet, relationship to plasma malondialdehyde-like material, 322
CYTOSOLIC FACTOR, inhibition of lipid peroxidation, 704
potentiation by glutathione, 704

D

DEALKYLATION, of 24-alkylsterols by nematodes, 102
DECANOIC ACIDS, deuterated, TMS esters, mass spectra, 404
DECANOLS, deuterated, TMS esters, mass spectra, 404
7-DEHYDROCHOLESTEROL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
DERMATOPHYTE, growth conditions, effect on lipid composition and membrane transport, 11
DESATURASE, activity in *Tetrahymena*, effect of dexamethasone and isoproterenol, 850
rat liver microsomes, activity, dietary effect of partially hydrogenated vegetable and marine oils, 283
DESATURATION, stearic acid, linoleic acid, activities of yolk sac membrane and liver of chick embryos, 278
4-DESMETHYL STEROLS, Chenopodiaceae, leaves, 594
in cocoa butter, GC, MS, 723
DESMOSTEROL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
Desulfobulbus, marine species, lactate grown, monoenoic fatty acid composition, 393
DEXAMETHASONE, fatty acyl-CoA desaturase, *Tetrahymena*, 850
DIABETES, characterization of chylomicrons, effect on platelet aggregation, 211
DIACYLGLYCEROL, effect of diazepam on fatty acid incorporation, rat liver minces, 75
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
separation of positional isomers by borate-impregnated TLC, 90

DIACYLGLYCEROL ACETATES, HPLC analysis, GLC analysis, 611
preparation from phosphatidylcholine, 611
DIACYLGLYCEROLS, oil palm, mesocarp and endosperm, fatty acid profile and synthesis from acetate, 205
DIAZEPAM, inhibition of ACAT and sterologenesis, rat liver minces, 75
DIENALS, reaction with thiobarbituric acid, 915
DIENES, conjugated, formation with H_2O_2 metmyoglobin, 625
in polyunsaturated acids and alcohols, orange roughy, 675
DIET, effect on plasma, apolipoprotein, rabbit, 751
DIET, HIGH FAT, effect on rat liver palmitoyl-CoA hydrolase activity, 49
DIET, SEMI-PURIFIED, effect on rat hepatic HMG-CoA reductase, 53
DIETARY, *trans* fatty acids, effect on microsomal enzymes and membranes, 620
DIETARY BUTTER, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
DIETARY CHOLESTEROL, influence on hepatic glyceride and phospholipid synthesis in gerbil, 167
DIETARY CORN OIL, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
DIETARY EFFECTS, cholesterol transport and distribution, LDL uptake, swine, 757
transport and uptake of cholesterol, swine, lipoproteins, 735
DIETARY ESSENTIAL FATTY ACIDS, human, effect on serum lipid levels and fatty acid composition, 227
DIETARY FAT, effect on serum lipids, human, 808
rat and human, cholesterol metabolism, aging, 825
DIETARY FATS AND LIPOPROTEINS, cholesterol uptake and plasma lipoproteins, swine, 735
DIETARY FIBER, blood serum patterns, human, 802
effects on lipid absorption, human, 802
DIETARY HYDROGENATED COCONUT OIL, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
DIETARY LINOLEATE, effect on prostaglandin biosynthesis, 791
DIETARY OILS, effect on cardiac lipids, rat, 635
DIETARY PROTEIN, hamster, effect on serum and biliary components, gallstone formation, 1
DIETARY SAFFLOWER OIL, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
DIHOMO GAMMA LINOLÉNIC ACID, content in human serum lipids, effect of dietary fat, 227
lipoxygenation of eicosaenoic acid, 743
DIHYDROBRASSICASTEROL, DIETARY, nematode, effect on sterol composition, 102
DIHYDROXY FATTY ACIDS, potential neoplastic activity, 903
DIMERS, decomposed hydroperoxides, gel chromatography, 578
4α,24-DIMETHYLCHOLEST-8(14)-ENOL, nematode, content of free and esterified, effect of diet, 102
N,N-DIMETHYLDODECANAMIDE, effect on phytosterol, content, composition, metabolism in nematode, 158
DINOFLAGELLATE, esterified lipids, 645
DIOXETANE CHEMILUMINESCENCE, soybean oil, oxidized fatty acids, 729
1,6-DIPHENYL-1,3,5-HEXATRIENE, fluidity determination, salivary gland membranes, 16
DIPLASMALOGEN, component of phosphatidylethanolamine, rabbit, sperm, 869

E

EGG ALBUMIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
EGG PHOSPHATIDYLCHOLINE LIPOSOMES, maximum tocopherol content and stability to serum proteins, 195
EGGS, Atlantic herring, fatty acid composition of neutral and polar lipids, 69
Atlantic herring, lipid class composition, effect of fertilization, 84
salmon, lipids, antioxidant enzymes, 567
salmon, reduced glutathione, 567
salmon, triacylglycerols, 567
EICOSAENOIC ACID, lipoxygenation, human platelet, aspirin, 743
EICOSANOID, biosynthesis, effect of dietary linoleate, 791
EICOSANOIDS, synthesis in mouse lung microsome, 842
vascular, thromboxane and prostacyclin, effects of dietary heated fat (PUFA) and vitamin E, 439
EICOSAPENTAENOIC ACID, lipoxygenation of eicosaenoic acid, 743
incorporation into phospholipids, platelets, human, 773
Elaeis guineensis, fatty acid synthesis from acetate in developing fruit, 205
ELECTRON SPIN RESONANCE, use in study of temperature-induced phase changes in a fat, 296
ELECTROPHORESIS, cellulose acetate, lipoproteins, rat serum, 420
polyacrylamide, keto fatty acids and proteins, 854
polyacrylamide, purification of lipoprotein complex components, 884
polyacrylamide gel, human plasma high density lipoproteins, 378
ELECTROPHORESIS, CELLULOSE ACETATE, lipoproteins, from diabetic and type V subject, 211
ELECTROPHORESIS, GEL, lipoproteins, from diabetic and type V subject, 211
ELECTROPHORESIS, ISOELECTRIC FOCUSING, lipoproteins from diabetic and type V subject, 211
ELECTROPHORESIS, POLYACRYLAMIDE GEL, plasma lipoproteins, rabbit, 751
EMBRYONIC DEVELOPMENT, herring, fatty acid profile neutral and phospholipids, 69
ENDOSPERM, oil palm, fatty acid synthesis from acetate, and fatty acid profile, 205
ERUCIC ACID, *Brassica juncea* seeds, biosynthesis from oleic acid, 361
dietary, effect on rat liver palmitoyl-CoA hydrolase activity, 49

effect on peroxisomal β-oxidation, 929
ERYTHROCYTE, lipid extraction, determination of vitamin E lipid ratios, new method, 29
mammalian, shape and viscosity, effects of polyphosphoinositides, 433
membranes, porcine, gangliosides, 588
ESSENTIAL FATTY ACIDS, deficiency in rat, effect of diet, 862
dietary human, effect on serum lipid levels and fatty acid composition, 227
estimation of recommended dietary allowances for adults, 227
metabolism in microsomes, effect of Norflurazon, 719
ESTERIFIED STEROLS, in cocoa butter, GC, MS 723
17β-ESTRADIOL, effect on serum lipid levels and hepatic enzyme levels in chick, 252
ESTROGENS, effect on serum lipid levels and hepatic enzymes in chick, 252
ETHER-PHOSPHOLIPIDS, turnover in phosphocholine and phosphoethanolamine, 699
ETHERS, TMS, pyrrolidines, GC-MS, 652
ETHYLENEDIAMINETETRAACETIC ACID, effect on free fatty acid content of human milk, 216
EXCRETION, FATTY ACID, *Streptococcus mutans* BHT, effect of penicillin, 173
EXTRACTION, LIPID, effect of procedure on isolation of brain lipids, 201
procedure, for use in determining vitamin E lipid ratios, 29

F

FASTING, effect on rat liver acid cholesteryl ester hydrolase activity, 46
FAT, heated, PUFA, dietary effects on vascular eicosanoids, 439
FAT, NON-ABSORBABLE, sucrose polyester, dietary effect on plasma cholesterol turnover in rat, 273
FAT, *trans*, dietary effect on activities of rat liver mixed function oxidase system, 325
FATTY ACID, chain length, effect on chromatographic behavior, 617
composition of total lipid of the clam, 116
methyl esters, analysis of deuterium-labeled blood lipids with chemical ionization mass spectrometry, 303
synthesis and excretion, *Streptococcus mutans* BHT, effect of penicillin, 173
synthesis of aglycones, 903
unsaturation, effect on chromatographic behavior, 617
FATTY ACID DESATURASE, assay in *Microsporum gypseum*, 11
FATTY ACID HYDROPEROXIDES, mass spectrometry, chemical ionization via direct exposure probe, 127
FATTY ACID METABOLISM, effect of tocopherols and their quinones on, 151
FATTY ACID PROFILE, Antarctic krill, herring, cod, 629
cardiolipin, rat mitochondria, 908
clam, *Codakia orbicularis*, 116
cocoa butter, GC, 723
gangliosides, porcine erythrocyte membranes, 588
heart lipids, rat, 668
human serum phospholipid, cholesteryl esters, triacylglycerols, effect of diet, 227
lung microsomal phosphatidylcholine, mouse, 842
oil palm, endoderm and mesocarp, 205
phosphatidylcholine from rat lung, 611
phospholipids, ctenophore cilia, 933
plasma phospholipids, effect of EFA deficiency, 862
rat lung lipids, effect of diet and hyperbaric oxygen, 248
total fat and phospholipids of rats, 620
wax esters of orange roughy, 675
wax esters of orange roughy oil, GLC, 680
FATTY ACIDS, changes, cardiac lipid, rat, effect of diet, 635
chemiluminescence, effect of oxygen, 729
colonic mucosa, fetal and adult sheep, glycosphingolipids, composition, 331
composition of *Grevillea decora* seed oil, 373
human amniotic fluid, normal and diabetic, sphingomyelin, composition, 449
inhibition of desaturation by Norflurazon, 719
methyl esters, geometrical isomers, quantitation by $AgNO_3$ Iatroscan, 555
methyl esters of, rat, adipocyte, triglyceride, gas liquid chromatography, 255
monoenoic, marine *Desulfobulbus*, lactate grown, composition, 393
palm oil, NMR, 778
salmon, developing eggs, 567
trans, effect on microsomal enzymes and membranes, 620
very long chain, effect on peroxisomal β-oxidation, 929
trans-FATTY ACIDS, dietary, incorporation in salivary gland lipids, 16
FATTY ACIDS, 2-ACETOXY, in phospholipids of sponge, 141
FATTY ACIDS, ESSENTIAL, dietary human, effect on serum lipid levels and fatty acid composition, 227
FATTY ACIDS, FREE, in human milk and colostrum, significance and artifactual determination, 216
FATTY ACID SYNTHESIS, in tissue slices of oil palm developing fruit, 205
newborn rat lung, 835
FATTY ACID SYNTHETASE, assay in *Microsporum gypseum*, 11
FATTY ACYL-CoA DESATURASE, *Tetrahymena*, effect of dexamethasone and isoproterenol, 850
FATTY ALCOHOL PROFILE, wax esters of orange roughy, 675
FEED EFFICIENCY, rats, dietary oils, 635
FIBROBLAST, human, prostanoids and peroxides, effect of 12-O-TPA on growth, 602
FILTRATION, GEL, pancreatic lipase, separation of lipase and colipase, 42
FLAME THERMIONIC IONIZATION DETECTOR (FTID), Iatroscan, nitrogen and halogen specific, 503
FLUIDITY MEMBRANE, salivary gland, effect of diet, 16

FLUORESCENCE POLARIZATION, salivary gland membranes, effect of diet, 16
FLUORESCENT DYE, used to measure liposome disruption, 195
FLUORESCENT PIGMENTS, lipid peroxidation products, proteins and amino acids, 854
FOOD CHAIN, krill, herring, cod, Antarctic, lipids, 629
FREE FATTY ACIDS, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
in human milk and colostrum, significance and artifactual determination, 216
salivary gland, fatty acid composition, effect of diet, 16

G

GALLSTONES, hamster, effect of dietary protein source, 1
GAMMA LINOLENIC ACID, effect upon rat, cardiovascular response to stress, 573
effect upon stress responses, 573
GANGLIOSIDES, colonic mucosa, fetal and adult sheep, composition, 331
porcine, erythrocyte membranes, GM_3, GD_3, 588
GARLIC, effect on lipid metabolism, chicken, 817
GD, GANGLIOSIDES, porcine, erythrocyte membranes, 588
GEL FILTRATION, analysis of intralipid hydrolysis, 765
pancreatic lipase, separation of lipase and colipase, 42
GERBIL, effect of dietary cholesterol on hepatic glyceride and phospholipid synthesis, 167
GERMINATION, *Cucurbita maxima*, changes in sterols during germination, 876
GINSENG, effect on lipid metabolism, chicken, 817
GLUCOSE, pulmonary surfactant lipid synthesis, rat, 835
GLUCOSIDIC STEROLS, in cocoa butter, free and esterified, glucosides, 723
GLUTATHIONE, effects upon lipid peroxidation, 704
GLUTATHIONE PEROXIDASE, salmon, developing eggs, 567
GLUTATHIONE S-TRANSFERASE, salmon, developing eggs, 567
GLYCERIDES, HEPATIC, effect of dietary cholesterol on relative synthesis of, in gerbil, 167
GLYCEROPHOSPHOCHOLINES, formation from lysophosphatidylcholine, swine platelets, 133
GLYCEROPHOSPHOLIPIDS, metabolism, rat liver, effect of thyroid gland, 897
TLC, turnover in Krebs II ascite cells, 699
GLYCINE, membrane transport, *Microsporum gypseum*, effect of growth conditions, 11
GLYCOSAMINO-GLYCANS, interaction with low density lipoprotein, 24
GLYCOSPHINGOLIPIDS, colonic mucosa, fetal and adult sheep, composition, 331
GM_3 GANGLIOSIDES, porcine, erythrocyte membranes, 588
Grevillea decora, long chain hydroxy acids, 373
GUINEA PIG, heart, distribution of plasmalogen, 693
smooth muscle cell cultures, effect of 12-O-TPA on growth, 602
GUINEA PIG LUNG, lavage, phospholipid composition, 7

H

HAMSTER, BILE FISTULA, metabolism and cholestatic effect of 7-methyl-lithocholic acid, 222
HAMSTERS, dietary protein, effect on biliary and serum components, gallstone formation, 1
HEART, guinea pig, distribution of plasmalogen, 693
rat, effects of gamma linolenic acid, 573
rat, lipid changes, effect of dietary oils, 635
rat mitochondria, cardiolipin, 908
rat, peroxisomal β-oxidation, 668
rat, separation of phospholipid and neutral lipids using silica cartridges, 40
HEPATIC ENZYMES, influence of plant constituents, chicken, 817
HEPATIC GLYCERIDES, effect of dietary cholesterol on relative synthesis of, in gerbil, 167
HEPATOCYTES, peroxisomes, rat, effect of very long chain fatty acids, 929
primary cultured, mouse with Sarcoma 180, alkaline triglyceride lipase activity, 399
HERRING, Antarctic, food chain, lipids, hydrocarbons, 629
Atlantic, egg, larva, yolk sac, lipid class composition, effect of fertilization, 84
Atlantic, fatty acid composition during embryonic and larval period, 69
HERRING OIL, partially hydrogenated, dietary influence on membrane composition and function of liver microsomes and platelets in the rat, 283
5,9-HEXACOSADIENOIC ACID, occurrence in phospholipids of sponge, 141
17-HEXACOSENOIC ACID, occurrence in phospholipids of sponge, 141
HIGH DENSITY LIPOPROTEIN, human, effects of dietary fat, 808
human, plasma, native and incubation enlarged, subfractionation and characterization by high performance gel filtration, 378
human serum, effects of dietary fiber, 802
HIGH PROTEIN BARLEY FLOUR, effect on lipid metabolism, chicken, 817
Hoplostethus Atlanticus, wax esters in oil, 680
HUMAN, aging, cholesterol metabolism, 825
fibroblasts, prostanoids, effect of 12-O-TPA on growth, 602
platelets, incorporation of arachidonic and eicosapentaenoic acids into phospholipids, 773
platelets, phosphatidylcholine, 561
serum lipids, effects of dietary fat, 808
HUMAN COLOSTRUM, free fatty acid content, significance and artifactual determinants, 216
HUMAN MILK, free fatty acid content, significance and artifactual determinants, 216
HUMAN SERUM, lipid levels and fatty acid composition, effect of dietary essential fatty acids, 227
HYDROCARBONS, Antarctic krill, herring, cod, 629
HYDROGEN PEROXIDE, activation of metmyoglobin, peroxidation of fatty acids, 625

HYDROLASE, LYSOSOMAL CHOLESTERYL ESTER, hepatic, diurnal variation, diet dependent, 46
HYDROLASE, PALMITOYL-CoA, activity, rat liver, effect of high fat diet, 49
HYDROPEROXIDES, methyl linoleate, decomposition with oxygen, 578
methyl linoleate, dimer formation, 578
HYDROPEROXIDES, FATTY ACID, mass spectrometry, chemical ionization via direct exposure probe, 127
HYDROPEROXIDES, LIPID, sesamol dimer, chromogenic determination, 475
12-HYDROPEROXY DERIVATIVE, arachidonic acid, lipoxygenation of eicosaenoic acid, 743
β-HYDROXYBUTYRATE, pulmonary surfactant lipid synthesis, newborn rat, 835
β-HYDROXYBUTYRATE DEHYDROGENASE, activity, newborn rat lung, 835
HYDROXY FATTY ACIDS, *Grevillea decora* seed oil, 373
HYDROXY GROUPS, acetylation, 141
3α-HYDROXY-7ξ-METHYL-5β-CHOLANOIC ACID, metabolism and cholestatic effect, 222
3-HYDROXY-3-METHYLGLUTARYL-CoA REDUCTASE, hepatic, rat, modulation by diet and feeding status, 53
HYPERBARIC OXYGEN, effect of lipid peroxide and fatty acid composition of rat lung, effect of diet, 248
HYPERCHOLESTEROLEMIA, rabbit, diet effects, apolipoprotein, 751
HYPERLIPOPROTEINEMIA, TYPE II, VLDL and chylomicrons, triacylglycerol structure, 90
HYPERLIPOPROTEINEMIA, TYPE V, characterization of chylomicrons, effect on platelet aggregation, 211
HYPERTENSION, rat, effects of gamma linolenic acid, 573
HYPERTHYROIDISM, rat, glycerophospholipid metabolism, 897
HYPERTRIGLYCERIDEMIA, characterization of chylomicrons, effect on platelet aggregation, 211
HYPOLIPIDEMIC ACTIVITY, aminimide derivatives, 685
HYPOTHYROIDISM, rat, glycerophospholipid metabolism, 897

I

IATROSCAN, $AgNO_3$ impregnated rods, fatty acid methyl esters, triglycerides, 555
alcohol-fed rats, liver lipid contents, comparisons with other methods, 531
analysis of phospholipids, 121
an overview, 501
coal liquids, quantitative class separation, 546
lipids, quantitative determination, 552
marine lipid class analyses, system calibration, 521
nitrogen and halogen specific detector, 503
phospholipid determination of trout gill, effect of thermal acclimation, 516
quantitation of rat heart lipids, comparison with phosphorus and gas chromatographic techniques, 536
sample application, improved methods, 510
separation and quantitation of lipid classes, herring eggs and larva, 84
IMMUNOGLOBULIN A, apo-bile lipoprotein, purification, 884
INTESTINE, RAT, cholesterol absorption, effect of lecithin and lysolecithin, 145
INTRALIPID, hydrolysis, pancreatic lipase, phospholipase A_2, gel filtration, 765
IONIZATION, CHEMICAL, of fatty acid hydroperoxides for mass spectra, direct exposure probe, 127
IPOLEARIC ACID, effect upon lymphocytic leukemia, 903
ISOELECTRIC FOCUSING, human plasma apolipoproteins, 378
ISOFUCOSTEROL, Chenopodiaceae, leaves, 594
ISOPROTERENOL, fatty acyl-CoA desaturase, *Tetrahymena* microsomes, 850

J

JEJUNAL SACS, RAT, cholesterol absorption, effect of lecithin and lysolecithin, 145

K

KETO FATTY ACIDS, reaction with proteins and amino acids, 854
KIDNEY, rat mitochondria, cardiolipin, 908
KREBS II ASCITE CELLS, turnover in phosphocholine and phosphoethanolamine, 699
KRILL, Antarctic, food chain, lipids, hydrocarbons, 629

L

LACTATE, pulmonary surfactant lipid synthesis, rat, 835
LARD, DIETARY, effect on triglyceride structure of lipoproteins, normal and type II subjects, 90
LARVA, ATLANTIC HERRING, lipid class composition, 84
LATHOSTEROL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
LAVAGE, LUNG, phospholipid composition, guinea pig, 7
LDL-CHOLESTEROL, uptake in swine tissues, 757
LDL CLEARANCE, dietary effects, cholesterol transport, swine, 735
LDL UPTAKE, swine, cholesterol transport, dietary effects, 757
LECITHIN, effect on cholesterol absorption, rat jejunal sacs, 145
LECITHIN, BILE SALT MICELLES, containing 4-methylumbelliferyl butyrate, used in sensitive lipase assay, 243
LECITHIN-CHOLESTEROL ACYLTRANSFERASE, effect on LDL interaction with glycosaminoglycans, 24
Leishmania donovani, promastigotes, lipid analysis, whole cells, surface membrane and mitochondria, 108

LESIONS, focal heart, rat, effect of diet, 635
LEUKOTRIENES, biosynthesis, effect of dietary linoleate, 791
LINGUAL LIPASE, pH-dependence, determined by new sensitive fluorescence assay, 243
LINOLEATE, effect on prostaglandin biosynthesis, 791
LINOLEIC ACID, dietary intake, effects on human E prostaglandin production, 268
estimation of recommended dietary allowances for adults, 227
secondary autoxidation products, effects on rat growth, 412
secondary autoxidation products, uptake by the rat, 412
LINOLENATE, AUTOXIDIZED, identification of prostaglandin-like red pigment-forming substances, 180
LINOLENIC ACID, estimation of recommended dietary allowances for adults, 227
LINOLENIC ACID, DIHOMO-GAMMA, content in human serum lipids, effect of dietary fat, 227
LINSEED OIL, autoxidation of linoleate, red pigment-forming prostaglandin-like substances, 180
LIPASE, alkaline triglyceride, mouse with Sarcoma 180, hepatocytic, activity, 399
lingual, pH-dependence, determined by new sensitive fluorescence assay, 243
pancreatic, lipid contaminants, extraction prior to use, 56
LIPASE ASSAY, fluorescent, hydrolysis of 4-methylumbelliferyl butyrate, 243
LIPASE PANCREATIC, colorimetric assay, lipase and colipase, 42
LIPID, composition of ctenophore cilia, 933
LIPID ABSORPTION, human, effects of dietary fiber, 802
LIPID COMPOSITION, *Microsporum gypseum*, effect of growth conditions, 11
LIPID EXTRACTION, effect of procedure on isolation of brain lipids, 201
procedure, for use in determining vitamin E lipid ratios, 29
LIPID MICELLES, bile salt-lecithin-cholesterol, molecular weight determination, 145
LIPID OXIDATION, detection with thiobarbituric acid, 915
LIPID PEROXIDATION, fluorescent products formed with proteins and amino acids, 854
levels in smooth muscle cell cultures, 602
potentiation by glutathione and cytosolic factor, 704
unsaturated fatty acids, metmyoglobin, 625
LIPID PEROXIDES, effect on cell growth of smooth muscle and fibroblasts, 602
pulmonary, content in rat, effect of diet and hyperbaric oxygen, 248
LIPIDS, Antarctic krill, herring, cod, 629
bovine, meibomian gland, biosynthesis, 468
changes, rat heart, effect of dietary oils, 635
heart, rat, metabolism, effect of brominated vegetable oils, 425
heart, rat, plasma profiles, effect of brominated vegetable oils, 425
human gallbladder bile, quantification by Iatroscan, 542
Iatroscan, quantitative determination, 552
marine, class analyses, Iatroscan, system calibration, 521
rat, heart, comparison of quantitation by Iatroscan and other methods, 536
salmon, developing eggs, 567
steer and human meibomian gland, di- and triesters, 454
LIPID SYNTHESIS, rats, from ketone bodies, 835
LIPOPROTEIN, apo-bile complex, human, purification, Ig A, 884
dietary effects, swine, cholesterol, 735
essential fatty acid deficiency in rat, 862
rat plasma, effects of aminimides, 685
serum, rat, hepatoma-bearing effect of hypolipidemic agent KCD-232, 420
swine, cholesterol transport and distribution, swine, dietary effects, 757
VLDL, LDL, rabbit, dietary effects, 751
LIPOPROTEIN, HIGH DENSITY, hamster, level, effect of dietary protein, 1
LIPOPROTEIN, LOW DENSITY, composition and physical properties, effect of LCAT, 24
hamster, level, effect of dietary protein, 1
interaction with glycosaminoglycans, influence of composition, 24
LIPOPROTEIN, PLASMA, characterization of chylomicrons, effect on platelet aggregation, 211
LIPOPROTEIN, VERY LOW DENSITY, diabetic and type V subjects, characterization, 211
hamster, level, effect of dietary protein, 1
normal and type II hyperlipoproteinemic, triacylglycerol structure, 90
LIPOPROTEIN CAROTENOIDS, structural rearrangements, malondialdehyde, Raman spectra, 890
LIPOSOMES, containing 4-methylumbelliferyl butyrate used in sensitive lipase assay, 243
solubilized substrate for assaying cholesterol 7α-hydroxylase, 712
LIPOSOMES, TOCOPHEROL-PHOSPHOLIPID, maximum tocopherol content and stability to serum proteins, 195
LIPOXYGENASE, products, effects on FMLP- and LTB_4-evoked neutrophil aggregation, 357
products, stimulation of superoxide anion production in FMLP-treated neutrophils, 318
LIPOXYGENATION, platelets, human, eicosaenoic acid, aspirin, 743
LITHOCHOLIC ACID, metabolism and cholestatic effect in bile fistula hamster, 222
UV-sensitive esters, physical data, H-NMR, melting points, 187
LITHOCHOLIC ACID, 7-METHYL-, metabolism and cholestatic effect in bile fistula hamster, 222
LIVER, chick embryo, lipid content, compositional changes and desaturation during embryonic development, 278
chicken, weight and enzyme levels response to estrogens, 252
inhibition of desaturation by Norflurazon, 719
rat, diurnal variation in lysosomal cholesteryl ester hydrolase activity, 46
rat, effect of high fat diet on palmitoyl-CoA

hydrolase activity, 49
rat, HMG-CoA reductase, modulation by diet and feeding status, 53
rat, hyperlipemic, tocopherol concentrations, 488
rat, lipid extraction, determination of vitamin E lipid ratios, new method, 29
rat, metabolism of chylomicron remnants and asialoglycoproteins, 664
rat, microsomes, effect of dietary *trans* fatty acids, 620
rat, minces, inhibition of ACAT and sterologenesis by diazepam, 75
rat mitochondria, cardiolipin, 908
rat, peroxisomal β-oxidation, 668
LIVER CHOLESTEROL, rat, effect of diet, 53
LIVER TRIACYLGLYCEROL, rat, effect of diet, 53
LOW DENSITY LIPOPROTEIN, dietary effects, swine, cholesterol, 735
swine, dietary effects, cholesterol transport and uptake, 757
LUNG, guinea pig, lavage, phospholipid composition, 7
newborn rat, pulmonary surfactant lipid synthesis, 835
rat, fatty acid profile, peroxide content, effect of dietary fat on response to hyperbaric oxygen, 248
rat, phosphatidylcholine, 611
LUNG LAVAGE, phospholipid composition, guinea pig, 7
LYMPH NODES, sheep, intestinal and popliteal lipid composition, 389
LYMPHOCYTIC LEUKEMIA, effects of fatty acid aglycones, 903
P 388 LYMPHOCYTIC LEUKEMIA, effects of fatty acid aglycones, 903
LYSINE, membrane transport, *Microsporum gypseum*, effect of growth conditions, 11
LYSOLECITHIN, effect on cholesterol absorption, rat jejunal sacs, 145
LYSOPHOSPHATIDYLCHOLINE, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content, *Microsporum gypseum*, effect of growth conditions, 11
effect on cholesterol absorption, rat jejunal sacs, 145
metabolism, swine platelets, 133
preparation of ^{32}P-lyso PC, 133
separation by reverse phase HPLC, 922
separation on Chromarods, effect of oxalic acid, 121
LYSOPHOSPHATIDYLETHANOLAMINE, separation on Chromarods, effect of oxalic acid, 121
LYSOPHOSPHOLIPASE, rat liver, influence of thyroid activity, 897
swine platelets, characterization, effect of metal ions, propranolol, 133
LYSOPHOSPHOLIPIDS, reverse phase HPLC, 922
LYSOSOMAL CHOLESTERYL ESTER HYDROLASE, hepatic, diurnal variation, diet dependent, 46

M

MACROPHAGES, rabbit, alveolar, free arachidonic acid determination, 482
MALONDIALDEHYDE, product of lipid peroxidation, effect of tocopherols and their quinones, 151
structural rearrangement of lipoprotein carotenoids, 890
MALONDIALDEHYDE-LIKE MATERIAL, human plasma, relationship to platelet cycloxygenase, 322
MARINE OIL, partially hydrogenated, dietary, effect on rat liver palmitoyl-CoA hydrolase activity, 49
partially hydrogenated herring oil, dietary influence on membrane composition and function of liver microsomes and platelets in the rat, 283
MEIBOMIAN GLANDS, bovine, lipids, biosynthesis, 468
steer and human, lipids, di- and triesters, 454
MELTING POINT, alkynoic acids, geometrical and positional isomers of octadecenoic acids and intermediates of synthesis, 234
MEMBRANE, plasma, fluidity, salivary gland, effect of diet, 16
plasma, human epidermoid carcinoma A431 cell, phosphorylation of chloroform-soluble compounds, 492
surface, *Leishmania donovani*, lipid analysis, 108
MEMBRANE FLUIDITY, salivary gland, effect of diet, 16
MEMBRANE TRANSPORT, *Microsporum gypseum*, effect of growth conditions, 11
MENHADEN OIL, mouse, effect on lipid composition and prostaglandin synthesis, 842
Meriones unguiculatus, effect of dietary cholesterol on hepatic glyceride and phospholipid synthesis, 167
MESOCARP, oil palm, fatty acid synthesis from acetate, and fatty acid profile, 205
METABOLISM, FATTY ACID, effect of tocopherols and their quinones on, 151
m-METHOXYPHENACYL ESTERS, of stereoisomeric bile acids, separation by HPLC, 187
4α-METHYLCHOLEST-7-ENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
nematode, content of free and esterified, effect of diet, 102
4α-METHYLCHOLEST-8(14)-ENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
nematode, content of free and esterified, effect of diet, 102
24-METHYLCHOLESTA-5,7-DIENOL, nematode, content of free and esterified, effect of diet, 102
4α-METHYLCHOLESTA-7,24-DIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
4α-METHYLCHOLESTA-8(14),24-DIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
24-METHYLCHOLESTA-5,7,9(11)-TRIENOL, nematode, content of free and esterified, effect of diet, 102
24-METHYLCHOLESTEROL, nematode, content of free and esterified, effect of diet, 102
24-METHYLENECHOLESTA-5,7-DIENOL, nematode, content of free and esterified, effect of

diet, 102
METHYL LINOLEATE HYDROPEROXIDES, decomposition, 578
dimer formation, 578
7-METHYL-LITHOCHOLIC ACID, metabolism and cholestatic effect in bile fistula hamster, 222
4-METHYL STEROLS, in cocoa butter, GC, MS, 723
4-METHYLUMBELLIFERYL BUTYRATE, hydrolysis, lipase assay, fluorescent, 243
METMYOGLOBIN, H_2O_2 activated, lipid peroxidation of microsomal fatty acids, 625
MICELLES, LIPID, bile salt-lecithin-cholesterol, molecular weight determination, 145
MICROSOMAL ENZYMES, effect of dietary *trans* fatty acids, 620
humans, effect of age, 825
rat liver, influence of thyroid activity, 897
MICROSOMAL LIPID PEROXIDATION, effects of glutathione and cytosolic factor, 704
MICROSOMAL MEMBRANES, effect of dietary *trans* fatty acids, 620
MICROSOMES, liver, metabolism of fatty acids, effect of Norflurazon, 719
rat liver, membrane composition and function, dietary influence of partially hydrogenated vegetable and marine oils, 283
Tetrahymena, fatty acyl-CoA desaturase, dexamethasone, 850
turkey, peroxidation of unsaturated fatty acids, 625
Microsporum gypseum, growth conditions, effect on lipid composition and membrane transport, 11
MILK, human, free fatty acid content, significance and artifactual determinants, 216
MILK FAT, dietary human, effect on serum lipid levels and fatty acid composition, 227
MILLET SEEDS, lipid composition, 186
MITOCHONDRIA, heart, liver, kidney, rat, cardiolipin, 908
kinetoplast, *Leishmania donovani*, lipid analysis, 108
rat heart, plasmalogen alkenyl chain profile, effect of dietary trielaidin, 367
MOLECULAR OXYGEN, chemiluminescence, soybean oil, oxidized fatty acids, 729
MONKEYS, cebus and cynomolgus, biliary cholesterol and primary bile acids, precursor pools, 343
MONOACYLGLYCEROLS, separation of positional isomers by borate-impregnated TLC, 90
oil palm, mesocarp and endosperm, fatty acid profile and synthesis from acetate, 205
MOUSE, lung microsomes, lipid composition, prostaglandin synthesis, 842
with Sarcoma 180, primary cultured hepatocytes, alkaline triglyceride lipase activity, 399
MOUSE BRAIN, lipid composition of different areas, effect of extraction procedure, 201
MUCOSA, COLONIC, fetal and adult sheep, ganglioside and glycosphingolipid composition, 331
MUSCLE CELLS, SMOOTH, effect of tocopherols and their quinones on lipid oxidation and cell growth, 151

N

NEMATODE, dealkylation of various 24-alkylsterols, 102
effect of dietary sterols on, content and composition of sterols, 102
phytosterol content, metabolism, effect of N,N-dimethyldodecanamine, 158
NMR SPECTROSCOPY, fatty acids, palm oil, 778
NEUTRAL LIPID, content, rat heart, 40
separation from phospholipid using silica cartridges, 40
NEUTRAL LIPIDS, changes, cardiac lipid, rat, effect of diet, 635
content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
herring, embryonic and larval form, fatty acid composition, 69
mouse lung microsome, 842
salivary glands, fatty acid composition, effect of diet, 16
NEUTROPHIL, aggregation FMLP- and LTB_4-evoked effects of lipoxygenase products, 357
NEUTROPHILS, FMLP-treated, superoxide anion production, stimulation by lipoxygenase products, 318
4-NITROPHTHALIMIDEMETHYL ESTERS, of stereoisomeric bile acids, separation by HPLC, 187
NITROXIDE PROBE, 16 Doxyl stearic acid, use in study of temperature-induced phase changes in a fat, 296
NOREPINEPHRINE, effect upon cardiovascular system of rat, 573
NORFLURAZON, inhibition of desaturation, 719
metabolism of essential fatty acids, 719

O

OCTADECANOIC ACIDS, pyrrolidines of oxo- and hydroxy- forms, 652
trans-OCTADECENOATE, dietary, incorporation into salivary gland lipids, 16
OCTADECENOATES, *cis-trans* isomers, dietary effects on rat liver polyunsaturated fatty acid patterns, 262
[1-^{14}C]OCTADECENOIC ACIDS, chemical synthesis of positional and geometric isomers, 234
OCTADECENOIC ACIDS, *cis* and *trans*, positional isomers, chemical synthesis, 234
OCTADECYNOIC ACIDS, chemical synthesis of positional isomers, 234
5,9,19-OCTACOSATRIENOIC ACID, occurrence in phospholipids of sponge, 141
OIL PALM, fatty acid synthesis from acetate in developing fruit, 205
OLEIC ACID, *Brassica juncea* seeds, biosynthesis of erucic acid from, 361
ORANGE ROUGHY, fatty acids and fatty alcohols of wax esters, 675
wax esters in oil, 680
OXALIC ACID, effect on phospholipid migration on Chromarods, 121
OXIDASE SYSTEM, MIXED FUNCTION, rat liver activities, dietary effect of *trans* fat, 325
OXIDATION, unsaturated fatty acids, metmyoglobin, 625
β-OXIDATION, effects of high fat diets, rat, 668
rat hepatocytes, effects of very long chain fatty

acids, 929
β-OXIDATION, PEROXISOMAL, activity, rat liver, effect of high fat diet, 49
OXYGEN HYPERBARIC, effect on lipid peroxide and fatty acid composition of rat lung, effect of diet, 248

P

PALMITOYL-CoA HYDROLASE, activity, rat liver, effect of high fat diet, 49
PALMITOYL-CoA OXIDATION, effect of very long chain fatty acids, 929
PALMITOYLTRANSFERASE, SERINE, chick hepatic, effect of estrogen, 252
PALM, OIL, fatty acid synthesis from acetate in developing fruit, 205
PALM OIL, fatty acids, NMR, 778
PANCREATIC LIPASE, colorimetric assay, lipase and colipase, 42
hydrolysis of intralipid, gel filtration, 765
lipid contaminants, extraction prior to use, 56
PARTIALLY HYDROGENATED VEGETABLE OIL, rapeseed, low erucic acid, dietary influence on membrane composition and function of liver microsomes and platelets in the rat, 283
PEANUT OIL, dietary, human, effect on serum lipid levels and fatty acid composition, 227
PEANUT PROTEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
PENICILLIN, effect on fatty acid synthesis and excretion, *Streptococcus mutans* BHT, 173
Peridinium lomnickii, esterified lipids, 645
PEROXIDASE, human platelet, aspirin, lipoxygenation of eicosaenoic acid, 743
PEROXIDATION, antioxidant effect of tocopherols and their quinones, 151
H_2O_2 activated metmyoglobin, unsaturated fatty acids, 625
potentiation by glutathione and cytosolic factor, 704
PEROXIDATION PRODUCTS, fluorescent products formed with proteins and amino acids, 854
PEROXIDES, LIPID, PULMONARY, content in rat, effect of diet and hyperbaric oxygen, 248
PEROXISOMAL β-OXIDATION, rat liver activity, effect of high fat diet, 49
effects of high fat diets, rat, 668
PEROXISOMES, rat hepatocytes, effect of very long chain fatty acids, 929
PGE_2, biosynthesis, effect of dietary linoleate, 791
PGI_2, biosynthesis, effect of dietary linoleate, 791
effect upon human platelets, effects of oral phosphatidylcholine, 561
PHOSPHATIDATE PHOSPHORYLASE, liver, effects of aminimides, 685
PHOSPHATIDIC ACID, content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
effects on shape and viscosity of mammalian erythrocytes, 433
separation on Chromarods, effect of oxalic acid, 121
PHOSPHATIDYLCHOLINE, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content of *Microsporum gypseum*, effect of growth conditions, 11
content of murine brain, effect of lipid extraction procedure, 201
content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
diacyl, alk-1-enyl and alkyl forms in protozoa, 108
disaturated, assay in human pulmonary sarcoidosis, 496
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
effect on cholesterol absorption, rat jejunal sacs, 145
fatty acid profile, protozoa whole cell and surface membrane, 108
incorporation of arachidonic and eicosapentaenoic acids, human platelets, 773
liver, rat, polyunsaturated fatty acids patterns, effect of dietary octadecenoates on, 262
lung, HPLC analysis, 611
polyunsaturated, effect upon HDL cholesterol, humans, 561
polyunsaturated, effect upon plasma lipids, humans, 561
polyunsaturated, effect upon platelet function and composition, 561
polyunsaturated, effect upon platelets, humans, 561
rat liver, preparation of hydroperoxy and hydroxy derivatives, 312
salivary gland, fatty acid composition, effect of diet, 16
separation on Chromarods, effect of oxalic acid, 121
swine platelets, synthesis from lysophosphatidylcholine, 133
synthesis, newborn rat lung, 835
vesicles, hydrolysis by phospholipase A_2, effect of size and temperature, 80
PHOSPHATIDYLCHOLINE, LIPOSOMES, maximum tocopherol content and stability to serum proteins, 195
PHOSPHATIDYLETHANOLAMINE, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content, *Microsporum gypseum*, effect of growth conditions, 11
content of murine brain, effect of lipid extraction procedure, 201
content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
diacyl, alk-1-enyl and alkyl forms in protozoa, 108
PHOSPHATIDYLETHANOLAMINE, diplasmalogen, rabbit, sperm, 869
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
fatty acid profile, protozoa, whole cell and surface membrane, 108
incorporation of arachidonic and eicosapentaenoic acids, human platelets, 773
liver, rat, polyunsaturated fatty acid patterns, effects of dietary octodecenoates on, 262
mouse lung microsome, 842
rat liver, preparation of hydroperoxy and hydroxy derivatives, 312
salivary gland, fatty acid composition, effect of diet, 16

separation on Chromarods, effect of oxalic acid, 121
PHOSPHATIDYLGLYCEROL, content, guinea pig lung lavage, 7
content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
PHOSPHATIDYLINOSITOL, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content, *Microsporum gypseum*, effect of growth conditions, 11
content of murine brain, effect of lipid extraction procedure, 201
content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
diacyl, alk-1-enyl and alkyl forms in protozoa, 108
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
fatty acid profile, protozoa, whole cell and surface membrane, 108
incorporation of arachidonic and eicosapentaenoic acids, human platelets, 773
sea urchin egg, metabolism during fertilization, 350
separation on Chromarods, effect of oxalic acid, 121
PHOSPHATIDYLSERINE, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content, *Microsporum gypseum*, effect of growth conditions, 11
content of murine brain, effect of lipid extraction procedure, 201
content of protozoan, cells, surface membrane, kinetoplast mitochondria, 108
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
incorporation of arachidonic and eicosapentaenoic acids, human platelets, 773
separation on Chromarods, effect of oxalic acid, 121
PHOSPHOCHOLINE, turnover in ascite cells, 699
PHOSPHOETHANOLAMINE, turnover in ascite cells, 699
PHOSPHOGLYCERIDES, plasmalogen content, guinea pig, heart, 693
PHOSPHOLIPASE A_2, hydrolysis of cardiolipin, 908
hydrolysis of intralipid, gel filtration, 765
hydrolysis of phosphatidylcholine vesicles, effect of size and temperature, 80
rat liver, influence of thyroid activity, 897
PHOSPHOLIPID, chick embryo, liver and yolk sac membrane, major fatty acid composition during development, 278
content, low density lipoprotein, effect of LCAT, 24
content, rat heart, 40
content, salivary gland, effect of diet, 16
effect of diazepam on fatty acid incorporation, rat liver minces, 75
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
effect on cholesterol absorption, rat jejunal sac, 145
human serum, effects of dietary fiber, 802
rabbit sperm, TLC, plasmalogen content, IR spectra, 869
separation from neutral lipid using silica cartridges, 40
vitamin E deficient rat heart, phospholipid increased arachidonic acid incorporation, 328
PHOSPHOLIPID, BILIARY, hamster, effect of dietary protein, 1
PHOSPHOLIPID, FATTY ACID PROFILE, content, *Microsporum gypseum*, effect of growth conditions, 11
PHOSPHOLIPID, SERUM, chick, elevation in response to estrogens, 252
human, fatty acid profile, effect of dietary fat, 227
PHOSPHOLIPID, TOTAL, content *Microsporum gypseum*, effect of growth conditions, 11
PHOSPHOLIPID COMPOSITION, lung lavage, guinea pig, 7
PHOSPHOLIPID LIPOSOME, use in assaying cholesterol 7α-hydroxylase, 712
PHOSPHOLIPID VESICLES, preparation of small and large unilamellar vesicles and multilamellar vesicles, 80
PHOSPHOLIPIDS, changes, cardiac muscle, rat, effect of diet, 635
content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
herring, embryonic and larval form, fatty acid composition, 69
herring larva and egg separation and quantitation using Iatroscan, 84
incorporation of arachidonic and eicosapentaenoic acids, platelets, human, 773
mouse lung microsome, 842
oil palm, mesocarp and endosperm, fatty acid profile and synthesis from acetate, 205
separation and analysis on Chromarods, 121
sponge, contains saturated long chain-acetoxy fatty acids, 141
TLC, turnover in Krebs II ascite cells, 699
PHOSPHOLIPID-TOCOPHEROL LIPOSOMES, maximum tocopherol content and stability to serum proteins, 195
PHOSPHORYLATION, human epidermoid carcinoma A431 cells, plasma membranes, chloroform-soluble compounds of, 492
PHOTOSYNTHETIC TISSUE, Chenopodiaceae, sterol content, 594
PHYTOSTEROL METABOLISM, nematode, effect of stigmasterol, campesterol and metabolic inhibitors, 158
PHYTYL ESTERS, dinoflagellate, GC, TLC, MS, 645
PIGMENT, RED, from linoleate oxidation, prostaglandin-like substances, 180
PIGMENTS, fluorescent products, protein and amino acids, lipid peroxidation, 854
PLANT GROWTH RETARDANT, effect on lipid metabolism, chicken, 817
PLASMA, human, lipid extraction, determination of vitamin E lipid ratios, new method, 29
lipoproteins, LDL clearance, dietary effects, swine, cholesterol, 735
rat, hyperlipemic, tocopherol concentrations, 488
PLASMA APOLIPOPROTEIN, effect of diet, rabbit, cholesterol-fed, 751
PLASMA LIPIDS, human, effects of oral phosphatidylcholine, 561
PLASMA LIPOPROTEINS, characterization of

chylomicrons, effect on platelet aggregation, 211
structural rearrangements, effect of malondialdehyde Raman spectra, 890
PLASMALOGEN, acyl composition in guinea pig heart, 693
content of murine brain, effect of lipid extraction procedure, 201
content of protozoa, whole cells and surface membrane, 108
guinea pig, heart, distribution, 693
rabbit sperm, TLC, phospholipids, 869
rat heart mitochondria, alkenyl of rat heart mitochondria by dietary trielaiden, 367
PLASMA MEMBRANE, fluidity, salivary gland, effect of diet, 16
liver, rat, competitive binding studies, 664
PLATELET AGGREGATION, effect of hypertriglyceridemic lipoproteins on, 211
PLATELETS, HUMAN, cyclooxygenase, relationship to plasma malondialdehyde-like material, 322
effects of oral phosphatidylcholine, 561
eicosanoic acid lipoxygenation, aspirin, 743
incorporation of arachidonic and eicosapentaenoic acids into phospholipids, 773
membrane composition, 561
thromboxane B_2 formation, 561
PLATELETS, RAT, membrane composition and function, dietary influence of partially hydrogenated vegetable and marine oils, 283
PLATELETS, SWINE, metabolism of lysophosphatidylcholine, 133
POLYCLONAL ANTISERUM, preparation, against APF of apo-bile lipoprotein, 884
Polymastia gleneni, contains saturated long chain-acetoxy fatty acids, 141
POLYPHOSPHOINOSITIDES, effects on shape and viscosity of mammalian erythrocytes, 433
POLYSACCHARIDES, SULFATED, interaction with low density lipoprotein, 24
POLYUNSATURATED FATTY ACID PATTERNS, rat, liver phosphatidylcholine and phosphatidylethanolamine, dietary effects of *cis* and *trans* octadecenoates, 262
PORCINE, erythrocyte membranes, gangliosides, 588
POSITIONAL DISTRIBUTION, fatty acids, palm oil, 778
POTASSIUM TERT-BUTOXIDE, chemiluminescence, soybean oil, 729
PROMASTIGOTES, *Leishmania donovani*, lipid analysis, whole cells, surface membrane and mitochondria, 108
PROPRANOLOL, effect on platelet lysophospholipase and acyltransferase activity, 133
PROSTAGLANDIN, biosynthesis, effect of dietary linoleate, 791
synthesis, mouse, lung microsomes, effect of menhaden oil, 842
PROSTAGLANDIN, E, human systemic production, dietary linoleate effect on, 268
PROSTAGLANDIN-LIKE SUBSTANCES, red pigment-forming from autoxidized linoleate, 180
PROSTANOID, precursors, lipoxygenation of eicosaenoic acid, 743
PROSTANOIDS, effect on cell growth of smooth muscle and fibroblasts, 602
synthesis in smooth muscle cell cultures, 602
PROTEIN, content, low density lipoprotein, effect of LCAT, 24
content, salivary gland, effect of diet, 16
fluorescent products, lipid peroxidation products, 854
PROTEIN, ANIMAL, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
PROTEIN, DIETARY, hamster, effect on serum and biliary components, gallstone formation, 1
PROTEIN, VEGETABLE, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
PROTOZOAN PARASITE, *Leishmania donovani*, lipid analysis, whole cell, surface membrane, 108
PSYLLIUM SEED FIBER, effects on serum triglycerides and cholesterol, 802
PUFA, estimation of recommended dietary allowances for adults, 227
PULMONARY LIPID PEROXIDES, content in rat, effect of diet and hyperbaric oxygen, 248
PYRROLIDINES, mass spectra, oxo- and hydroxyoctadecanoic acids, 652

Q

QUINONES, TOCOPHEROL, effect on fatty acid metabolism and cell proliferation, 151

R

RABBIT, alveolar macrophages, resident and activated, free arachidonic acid determination, 482
lipoprotein, dietary effects, cholesterol, 751
sperm, phosphatidylethanolamine, diplasmalogen content, 869
RADIOIMMUNOASSAY, PGF_{1_α}, PGE_2, 602
RAPESEED OIL, dietary, effect on rat liver palmitoyl-CoA hydrolase activity, 49
dietary, human, effect on serum lipid levels and fatty acid composition, 227
partially hydrogenated low erucic acid, dietary influence on membrane composition and function of liver microsomes and platelets in the rat, 283
RAT, adipocyte fatty acid mobilization, effects of age and anatomical location, 255
aging, cholesterol metabolism, 825
alcohol-fed, liver lipid contents, comparison of Iatroscan with other methods, 531
brain, lipid composition of different areas, effect of extraction procedures, 201
cardiovascular response to stress, effect of angiotensin, gamma linolenic acid and norepinephrine, 573
deficiency of essential fatty acids, effect of diet, 862
growth, effects of linoleic acid autoxidation products, 412
heart, lipid changes, effect of dietary oils, 635
heart, lipid quantitation, comparison of Iatroscan with other methods, 536
heart, separation of phospholipid and neutral lipids using silica cartridges, 40
heart lipid metabolism, effect of brominated vege-

table oils, 425
heart mitochondria, plasmalogen alkenyl chain profile, effect of dietary trielaidin, 367
hepatic metabolism of chylomicron remnants and asialoglycoproteins, 664
hepatoma-bearing, serum lipoprotein changes, effect of hypolipidemic agent KCD-232, 420
hyperlipemic, red blood cell, liver, plasma comparison of tocopherol concentrations, 488
intestine, cholesterol absorption, effect of lecithin and lysolecithin, 145
jejunal sacs, cholesterol absorption, effect of lecithin and lysolecithin, 145
linoleic acid secondary autoxidation products, uptake, 412
liver, diurnal variation in lysosomal cholesteryl ester hydrolase activity, 46
liver, effect of high fat diet on palmitoyl-CoA hydrolase activity, 49
liver, HMG-CoA reductase, modulation by diet and feeding status, 53
liver, lipid extraction, determination of vitamin E/lipid ratios, new method, 29
liver, microsomes, effect of dietary *trans* fatty acids, 620
liver, minces, inhibition of ACAT and sterologenesis by diazepam, 75
liver, mixed function oxidase system activities, dietary effect of *trans* fat, 325
liver, phosphatidylcholine and phosphatidylethanolamine, polyunsaturated fatty acid patterns, dietary effects of *cis* and *trans* octadecenoates, 262
liver, phosphatidylcholine and phosphatidylethanolamine, preparation of hydroperoxy and hydroxy derivatives, 312
liver microsomes and platelets, membrane composition and function, dietary influence of partially hydrogenated vegetable and marine oils, 283
lung, fatty acid profile, peroxide content, effect of dietary fat on response to hyperbaric oxygen, 248
lung, phosphatidylcholine, 611
mitochondria, cardiolipin, fatty acid profile and position, 908
newborn, pulmonary surfactant lipid synthesis, rat, 835
peroxisomal β-oxidation, effects of high fat diets, rat, 668
plasma cholesterol turnover, effect of dietary nonabsorbable fat on, 273
salivary gland, lipids, incorporation of dietary *trans* fatty acids, 16
vitamin E deficient, heart, phospholipid increased arachidonic acid incorporation, 328
RED BLOOD CELLS, lipid extraction, determination of vitamin E/lipid ratios, new method, 29
rat, hyperlipemic, tocopherol concentrations, 488
RED PIGMENT, from linoleate oxidation, prostaglandin-like substances, 180
REDUCTASE, 3-HYDROXY-3-METHYLGLUTARYL-CoA, hepatic, rat, modulation by diet and feeding status, 53
REVERSE PHASE HPLC, lysophospholipids, 922
RHAMNOCONVOLVULINIC ACID, effect upon lymphocytic leukemia, 903
RODENTS, lipid metabolism, affected by aminimides, 685

S

SAFFLOWER OIL, dietary, rat, effect on lung response to hyperbaric oxygen, fatty acid and peroxide profile, 248
SALIVARY GLAND, rat, lipids, incorporation of dietary *trans* fatty acids, 16
SALMON, DEVELOPING EGGS, enzymes, 567
lipids, antioxidant systems, 567
phosphatidylcholine, 567
triacylglycerols, 567
Salmo solar, see salmon, 567
SARCOIDOSIS, lung fluid, phosphatidylcholine, assay, 496
SEA URCHIN, egg phosphatidylinositol, metabolism during fertilization, 350
SEEDS, *Cucurbita maxima,* changes in sterols during germination, 876
millet, lipid composition, 186
SERINE PALMITOYLTRANSFERASE, chick hepatic, effect of estrogen, 252
SERUM, lipid and glucose, human, effects of oral phosphatidylcholine, 561
human, lipid levels and fatty acid composition, effect of dietary essential fatty acids, 227
SERUM ALBUMIN, effect on lysophosphatidylcholine metabolism, swine platelets, 133
SERUM CHOLESTEROL, chick, elevation in response to estrogens, 252
human, effects of dietary fat, 808
influence of plant constituents, chicken, 817
rat, effect of diet, 53
SERUM CHOLESTERYL ESTERS, human, fatty acid profile, effect of dietary fat, 227
SERUM LIPID, human, effects of dietary fat, 808
human, effects of dietary fiber, 802
SERUM PHOSPHOLIPID, chick, elevation in response to estrogens, 252
human, fatty acid profile, effect of dietary fat, 227
SERUM SPHINGOMYELIN, chick, elevation in response to estrogens, 252
SERUM TRIACYLGLYCEROL, chick, elevation in response to estrogens, 252
rat, effect of diet, 53
SESAMOL DIMER, use in chromogenic determination of lipid hydroperoxides, 475
SHEEP, fetal and adult, colonic mucosa, ganglioside and glycosphingolipid composition, 331
spleen, intestinal and popliteal lymph nodes, lipid composition, 389
SIALIC ACID, ganglioside composition, porcine erythrocyte membrane, 588
SILICA CARTRIDGE, rapid method for separation of neutral and phospholipid, 40
SITOSTANOL, Chenopodiaceae, leaves, 594
SITOSTEROL, Chenopodiaceae, leaves, 594
dietary, nematode, effect on sterol composition, 102
β-SITOSTEROL, content of clam, *Codakia orbicularis,* 116
SMOOTH MUSCLE, guinea pig, effect of 12-O-TPA on growth, 602
SMOOTH MUSCLE CELLS, effect of tocopherols and their quinones on lipid oxidation and cell

growth, 151
SODIUM DODECYL SULFATE, use in the extraction of lipids, 29
SOYBEAN, triglycerides, HPLC, MS, 783
SOYBEAN OIL, chemiluminescence, 729
dietary, effect on rat liver palmitoyl-CoA hydrolase activity, 49
fatty acids, chemiluminescence, 729
partially hydrogenated, *cis-trans* octadecenoate isomers, dietary effects on rat liver polyunsaturated fatty acid patterns, 262
SOY PROTEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1
SPECTRA, absorption, diene formation, 625
absorption, microsomal lipid enzymes, 897
absorption, monitoring lipid peroxidation, 625
absorption, thiobarbituric reaction with aldehydes, 915
ammonia chemical ionization, mass, fatty acid hydroperoxides, 127
^{1}H nuclear magnetic, sterols, Chenopodiaceae, leaves, 594
infrared, alkynoic acids, geometrical and positional isomers of octadecenoic acids and intermediates of synthesis, 234
infrared, fatty acid aglycones, 903
infrared, methyl esters of sponge 2-acetoxy fatty acids, 141
infrared, phospholipids, 869
infrared, red pigment-forming substances from autoxidized linoleate, 180
isobutane chemical ionization, mass, fatty acid hydroperoxides, 127
mass, 2-acetoxyhexacosanoic acid, electron impact and chemical ionization, 141
mass, esterified lipids, dinoflagellate, 645
mass, fatty acid hydroperoxides by chemical ionization, direct exposure probe, 127
mass, GLC, fatty acids, ctenophore cilia, 933
mass, GLC, fatty acids, lysophospholipids, 922
mass, GLC, hydroperoxide dimers, 578
mass, GLC, pyrrolidide derivatized monoenoic fatty acid methyl esters of marine *Desulfobulbus*, 393
mass, HPLC, triglycerides, 783
mass, 4-methylsteryl acetates, nematode propagated with campesterol, 158
mass, pyrrolidines of octadecanoic acids, 652
mass, red pigment-forming substances from autoxidized linoleate, 180
mass, sphingolipids in wheat grain, 337
mass, sterol acetates from nematode, 102
mass, steryl acetates, metabolites of stigmasterol in nematode, 158
mass, TMS derivatives of deuterated decanoic acids and decanols, 404
^{13}C NMR, fatty acids, palm oil, 778
^{1}H NMR, fatty acid aglycones, 903
^{1}H NMR, phospholipids, 869
^{1}H NMR, sterols, Cucurbita seedlings, 876
nuclear magnetic resonance, bile acid stereoisomers as UV-sensitive esters, 187
nuclear magnetic resonance, red pigment-forming substances from autoxidized linoleate, 180
nuclear magnetic resonance, UV-sensitive stereoisomers of bile acids, 187
proton magnetic response, wheat sphingolipids, 337
raman, lipoprotein carotenoids, effect of malondialdehyde, 890
SPECTROMETRY, mass, chemical ionization, analysis of deuterim-labeled blood lipids, 303
SPECTROPHOTOMETRY, absorbance, use in determination of lipid hydroperoxides, 475
analysis of fluorescent pigments, 854
SPERM, rabbit, phosphatidylethanolamine, diplasmalogen content, 869
SPHEROPLASTS, preparation from *Microsporum gypseum*, 11
SPHINGOLIPIDS, wheat grain, principal molecular species, 337
SPHINGOMYELIN, changes, cardiac muscle, rat, effect of diet, 635
content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, guinea pig lung lavage, 7
content of murine brain, effect of lipid extraction procedure, 201
human amniotic fluid, normal and diabetic, fatty acid composition, 449
serum, chick, elevation in response to estrogens, 252
SPHINGOSINE, ganglioside composition, porcine erythrocyte membrane, 588
SPINASTEROL, Chenopodiaceae, leaves, 594
SPLEEN, sheep, lipid composition, 389
SPONGE, contains saturated long chain-acetoxy fatty acids, 141
STEROIDS, rat fecal, as an indicator of plasma cholesterol turnover, 273
STEROL, composition of the clam, 116
STEROL ESTERS, content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
STEROLOGENESIS, inhibition by diazepam, rat liver minces, 75
STEROLS, changes during seed germination, *Cucurbita maxima*, TLC, GLC, NMR, 876
ctenophore cilia, 933
in cocoa butter, free and esterified, glucosides, TLC, GC, MS, 723
leaves, Chenopodiaceae, 594
STERYL ACETATES, from nematode, mass spectra, 158
STERYL ESTERS, dinoflagellate, GC, TLC, MS, 645
STIGMASTA-5,22E,24(28)-TRIENOL, content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
STIGMASTANOL, dietary, nematode, effect on sterol composition, 102
STIGMASTEROL, Chenopodiaceae, leaves, 594
content nematode, effect of stigmasterol, campesterol and Δ^{24}-sterol reductase inhibitors, 158
content of clam, *Codakia orbicularis*, 116
dietary, nematode, effect on sterol composition, 102
effect on phytosterol, content, composition, metabolism in nematode, 158
nematode, content of free and esterified, effect of diet, 102
Streptococcus mutans BHT, fatty acid synthesis and excretion, effect of penicillin, 173
SUBMANDIBULAR SALIVARY GLAND, rat, lipids, incorporation of dietary *trans* fatty acids, 16

SUCROSE POLYESTER (SPE), use as a dietary nonabsorbable fat, effect on plasma cholesterol turnover in rat, 273
SULFATED POLYSACCHARIDES, interaction with low density lipoprotein, 24
SUNFLOWER OIL, dietary, human, effect on serum lipid levels and fatty acid composition, 227
SUPEROXIDE ANION, production in FMLP-treated neutrophils, stimulation by lipoxygenase products, 318
SURFACTANT, pulmonary, rat, synthesis, 835
SWINE, cholesterol, transport and uptake, swine, dietary effects, lipoproteins, 735
cholesterol transport and distribution, LDL uptake, dietary effects, 757
SWINE PLATELETS, metabolism of lysophosphatidylcholine, 133
SYNTHESIS, FATTY ACID, in tissue slices of oil palm developing fruit, 205
Streptococcus mutans BHT, effect of penicillin, 173

T

Tetrahymena pyriformis, fatty acyl-CoA desaturase, dexamethasone, 850
12-O-TETRADECANOYLPHORBOL-13-ACETATE, effect on cell growth, smooth muscle, fibroblasts, 602
THERMAL OXIDATION, chemiluminescence, soybean oil, 729
THIOBARBITURIC ACID, reaction with aldehydes and oxidized lipids, 915
THROMBOXANE, biosynthesis, effect of dietary linoleate, 791
vascular, dietary effects of heated fat (PUFA) and vitamin E, 439
THROMBOXANE B_2, human platelet, 561
TOCOPHEROL, assay, 29
extraction procedure, for use in determining vitamin E/lipid ratios, 29
red blood cell, liver, plasma, concentration comparison in hyperlipemic rats, 488
salmon, developing eggs, 567
uptake and retention by smooth muscle cells, 151
α-, γ-TOCOPHEROL, effect on fatty acid metabolism and cell proliferation, 151
TOCOPHEROL-PHOSPHOLIPID LIPOSOMES, maximum tocopherol content and stability to serum proteins, 195
TOCOPHEROL QUINONES, effect on fatty acid metabolism and cell proliferation, 151
uptake and retention by smooth muscle cells, 151
12-O-TPA, effect on lipid peroxidation in fibroblasts and smooth muscle, 602
effect on prostanoid synthesis in fibroblasts and smooth muscle, 602
TRANSPORT, MEMBRANE, *Microsporum gypseum*, effect of growth conditions, 11
TRIACYLGLYCEROL, carbon numbers, VLDL and chylomicron, normal and type II patients, 90
content, Atlantic herring larva, eggs, yolk sac, effect of time after fertilization, 84
content, low density lipoprotein, effect of LCAT, 24
effect of diazepam on fatty acid incorporation, rat liver minces, 75
effect of dietary cholesterol on relative synthesis of, in gerbil, 167
liver, rat, effect of diet, 53
serum, rat, effect of diet, 53
stereospecific analysis, VLDL and chylomicron, 90
structure, normal and type II hyperlipoproteinemic, VLDL and chylomicron, 90
TRIACYLGLYCEROLS, dinoflagellate, GC, MS, 645
heart, effects of high fat diets, rat, 668
NMR, palm oil, 778
oil palm, mesocarp and endosperm, fatty acid profile and synthesis from acetate, 205
salivary gland, fatty acid composition, effect of diet, 16
TRIACYLGLYCEROL SERUM, chick, elevation in response to estrogens, 252
TRIBUTYRIN, substrate for colorimetric lipase assay, 42
TRIELAIDIN, dietary, effect on alkenyl chain profile in plasmalogens of rat heart mitochondria, 367
TRIGLYCERIDE, chick embryo, liver and yolk sac membrane, major fatty acid composition during development, 278
human serum, effects of dietary fiber, 802
TRIGLYCERIDE FATTY ACIDS, rat, mobilization, effects of age and anatomical location, 255
TRIGLYCERIDES, chromatographic separation on Chromarods, 617
HPLC analysis, MS, 783
human, effects of dietary fat, 808
serum, rodents, effect of aminimides, 685
unsaturates, quantitation by $AgNO_3$ Iatroscan, 555
TRIMETHYLSILYLOXY OCTADECANOIC ACIDS, mass spectra of pyrrolidines, 652
TRITERPENE ALCOHOLS, in cocoa butter, TLC, GC, MS, 723
TRIUNDECANOIN, use in labeling triglyceride fatty acids, rat, 255
TROUT, gill, effect of thermal acclimation of phospholipid, determination by Iatroscan, 516
TURKEY, microsomes, peroxidation of unsaturated fatty acids, 625
TYPE II HYPERLIPOPROTEINEMIA, VLDL and chylomicrons, triacylglycerol structure, 90
TYPE V HYPERLIPOPROTEINEMIA, characterization of chylomicrons, effect on platelet aggregation, 211

U

UNILAMELLAR VESICLES, hydrolysis by phospholipase A_2, effect of size and temperature, 80
UNSATURATED FATTY ACIDS, chick embryo, liver and yolk sac membrane, compositional changes and desaturation during development, 278

V

VALIUM, effect on lipid metabolism in rat liver minces, 75
VEGETABLE PROTEIN, dietary, hamster, effect on serum and biliary components, gallstone formation, 1

VENUM, cobra, phospholipase A_2, hydrolysis of phosphatidylcholine, effect of vesicle size, 80
VERY LOW DENSITY LIPOPROTEIN, effect of EFA deficiency, 862
VESICLES, phospholipid, preparation of small and large unilamellar vesicles and multilamellar vesicles, 80
unilamellar, hydrolysis by phospholipase A_2, effect of size and temperature, 80
VITAMIN E, assay, 29
dietary, effects with heated fat on vascular eicosanoids, 439
extraction procedure, for use in determining vitamin E/lipid ratios, 29

W

WAX ESTERS, Antarctic krill, herring, cod, 629
fatty acids and fatty alcohols of fish, 675
oil of orange roughy, column chromatography, TLC, 680
WHEAT GRAIN, sphingolipids, principal molecular species, 337

Y

YOLK SAC, Atlantic herring, fatty acid composition of neutral and polar lipids, 69
Atlantic herring, lipid class composition, 84
chick, membrane, lipid content, compositional changes and desaturation during embryonic development, 278

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685). 1. Title of publication: *Lipids*. 1a. Publication no.: 314700. 2. Date of filing: 10-08-85. 3. Frequency of issue: Monthly. 3a. No. of issues published annually: 12. 3b. Annual subscription price: $50. 4. Complete mailing address of known office of publication: 508 South Sixth Street, Champaign County, Champaign, Illinois 61820. 5. Complete mailing address of the headquarters of general business offices of the publishers: 508 South Sixth Street, Champaign County, Champaign, Illinois 61820. 6. Full names and complete mailing address of publisher, editor, and managing editor: Publisher—American Oil Chemists' Society, 508 South Sixth Street, Champaign, Illinois 61820; Editor—R.T. Holman, Hormel Institute, 801 16th Avenue N.E., Austin, MN 55912; Managing Editor—George Willhite, American Oil Chemists' Society, 508 South Sixth Street, Champaign, Illinois 61820. 7. Owner: American Oil Chemists' Society, 508 South Sixth Street, Champaign, Illinois 61820. 8. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None. 9. For completion by nonprofit organizations authorized to mail at special rates (Section 423.12, DMM only): The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes has not changed during preceding 12 months. 10A. Total no. copies (net press run): Average no. copies each issue during preceding 12 months—2,469; Actual no. copies of single issue published nearest to filing date—2,415. 10B. Paid circulation. 1. Sales through dealers and carriers, street vendors and counter sales: Average no. copies each issue during preceding 12 months—None; Actual no. copies of single issue published nearest to filing date—None. 2. Mail subscription: Average no. copies each issue during preceding 12 months—1,993; Actual no. copies of single issue published nearest to filing date—2,114. 10C. Total paid circulation: Average no. copies each issue during preceding 12 months—1,993; Actual no. copies of single issue published nearest to filing date—2,114. 10D. Free distribution by mail, carrier or other means, samples, complimentary, and other free copies: Average no. copies each issue during preceding 12 months—96; Actual no. copies of single issue published nearest to filing date—51. 10E. Total distribution: Average no. copies each issue during preceding 12 months—2,089; Actual no. copies of single issue published nearest to filing date—2,165. 10F. Copies not distributed. 1. Office use, left over, unaccounted, spoiled after printing: Average no. copies each issue during preceding 12 months—380; Actual no. copies of single issue published nearest to filing date—250. 2. Return from news agents: Average no. copies each issue during preceding 12 months—None; Actual no. copies of single issue published nearest to filing date—None. 10G. Total: Average no. copies each issue during preceding 12 months—2,469; Actual no. copies of single issue published nearest to filing date—2,415. 11. I certify that the statements made by me above are correct and complete. (Signed) Gloria B. Cook, Manager of Data Services, American Oil Chemists' Society.